



ESLON VU/AE REDUCE TEE

COMPLY WITH JIS K 6739



CROSS SECTIONAL VIEW



DIMENSIONS

SKU	DN	d (mm)	D (mm)	T-Min (mm)	d1 (mm)	D1 (mm)	T1-Min (mm)	Z1 (mm)	Z2 (mm)	Z3 (mm)	L1 (mm)	L2 (mm)	L3 (mm)	WEIGHT (Kg)	PCS/CTN
AERT04235	42x35	48.5±0.3	54	2.2	38.25±0.25	44	2.2	22	22	27	44	44	45	0.071	120
AERT05035	50x35	60.5±0.3	67	2.2	38.25±0.25	44	2.2	22	22	33	47	47	51	0.098	76
AERT05042	50x42	60.5±0.3	67	2.2	48.5±0.3	54	2.2	27	27	33	52	52	55	0.132	66
AERT06542	65x42	76.6±0.3	83	2.5	48.5±0.3	54	2.2	27	28	42	62	63	64	0.168	40
AERT06550	65x50	76.6±0.3	83	2.5	60.5±0.3	67	2.2	34	35	42	69	70	67	0.210	34
AERT08042	80x42	89.6±0.3	97	3.0	48.5±0.3	54	2.2	27	28	48	67	68	70	0.274	34
AERT08050	80x50	89.6±0.3	97	3.0	60.5±0.3	67	2.2	34	35	48	74	75	73	0.277	34
AERT08065	80x65	89.6±0.3	97	3.0	76.6±0.3	83	2.5	42	43	48	82	83	83	0.303	30
AERT10042	100x42	114.8±0.4	124	3.5	48.5±0.3	54	2.2	27	28	62	77	78	84	0.469	24
AERT10050	100x50	114.8±0.4	124	3.5	60.5±0.3	67	2.2	34	35	62	84	85	87	0.444	22
AERT10065	100x65	114.8±0.4	124	3.5	76.6±0.3	83	2.5	42	43	62	92	93	97	0.590	16
AERT10080	100x80	114.8±0.4	124	3.5	89.6±0.3	97	3.0	48	49	62	98	99	102	0.662	14
* AERT12580	125x80	140.9±0.4	151	4.5	89.6±0.3	97	3.0	48.5	49	75.5	113.5	114	115.5	0.949	8
* AERT125100	125x100	140.9±0.4	151	4.5	114.8±0.4	124	3.5	61.5	63	75	126.5	128	124.5	1.107	8
* AERT15080	150x80	166.1±0.5	178	5.5	89.6±0.3	97	3.0	53	52	90	132.8	131.8	129.8	1.462	7
* AERT150100	150x100	166.1±0.5	178	5.5	114.8±0.4	124	3.5	61.5	62.5	90	141	142	140	1.711	6
* AERT150125	150x125	166.1±0.5	178	5.5	140.9±0.4	151	4.5	77	74	89	154	153.5	153.5	1.921	5
AERT200100	200x100	217.3	227	5.5	114.8±0.4	124	3.5	62	63	116	167	168	166	2.646	4
AERT200125	200x125	217.3	227	5.5	140.9±0.4	151	4.5	76	75	116	186	185	180	-	4
AERT200150	200x150	217.3	227	5.5	166.1±0.5	178	5.5	88	88	118	198	198	198	3.435	2
AERT250150	250x150	268.6	280	6.5	166.1±0.5	178	5.5	86	94	145	217	225	209	3.438	2
AERT250200	250x200	268.6	280	6.5	217.3	227	5.5	114	116	140	244	246	240	4.815	1
AERT300200	300x200	319.8	333	7.5	217.3	227	5.5	114	115	166	264	265	276.5	6.080	1

- Notes:**
1. The tolerance for Z1, Z2, and Z3 is ± 2mm.
 2. The flow angle is 91° 10' ± 30°
 3. L1, L2 and L3 are the standard dimensions.
 4. The * mark indicates the SEKISUI standard.