




- **PP COMPRESSION FITTINGS**
- **PP CLAMP SADDLES**
- **PP VALVES&FITTINGS FOR IRRIGATION**

PP COMPRESSION FITTINGS


85-86



ITEM NO:PT001

90° ELBOW


Nom Size	D	d	H
20	44	21	76
25	56	26	96
32	65	33	116
40	80	41	145
50	92	51	163
63	114	64	195
75	128	76	227
90	152	91	264
110	182	111	307



ITEM NO:PT002

FEMALE THREAD ELBOW


Nom Size	D	d	D1	G	L
20X 1/2"	44	21	31.6	1/2"	16
20X 3/4"	44	21	38.6	3/4"	19
25X 1/2"	56	26	31.6	1/2"	16
25X 3/4"	56	26	38.6	3/4"	19
32X 1/2"	65	33	31.6	1/2"	16
32X 3/4"	65	33	38.6	3/4"	19
32X1"	65	33	47.4	1"	22
40X 3/4"	80	41	38.6	3/4"	19
40X1"	80	41	47.4	1"	22
40X1 1/4"	80	41	62.0	1 1/4"	24
40X1 1/2"	80	41	67.0	1 1/2"	24
50X1 1/4"	92	51	62.0	1 1/4"	24
50X1 1/2"	92	51	67.0	1 1/2"	24
50X2"	92	51	81.2	2"	28
63X1 1/4"	114	64	62.0	1 1/4"	24
63X1 1/2"	114	64	67.0	1 1/2"	24
63X2"	114	64	81.2	2"	28
75X2"	128	76	81.2	2"	28
75X2 1/2"	128	76	105.0	2 1/2"	33
90X3"	152	91	126.0	3"	35
90X4"	152	91	157.0	4"	40
110X4"	182	111	157.0	4"	40



ITEM NO:PT003

MALE THREAD ELBOW


Nom Size	D	d	d1	R	L
20X 1/2"	44	21	12	1/2"	14
20X 3/4"	44	21	17	3/4"	16
25X 1/2"	56	26	12	1/2"	14
25X 3/4"	56	26	17	3/4"	16
32X 1/2"	65	33	12	1/2"	14
32X 3/4"	65	33	17	3/4"	16
32X1"	65	33	22	1"	19
40X1 1/4"	80	41	30	1 1/4"	21
40X1 1/2"	80	41	34	1 1/2"	21
50X1 1/4"	92	51	30	1 1/4"	21
50X1 1/2"	92	51	34	1 1/2"	21
50X2"	92	51	44	2"	26
63X1 1/4"	114	64	30	1 1/4"	21
63X1 1/2"	114	64	33	1 1/2"	21
63X2"	114	64	46	2"	26
75X2 1/2"	128	76	59	2 1/2"	30
90X3"	152	91	70	3"	33
90X4"	152	91	91	4"	38
110X4"	182	111	89	4"	38



ITEM NO:PT004

FEMALE THREAD ELBOW WITH BRACKET

Nom Size	D	d1	L	D2	d2	H
25X 3/4"	37	3/4"	19	56	26	65




ITEM NO:PT005

TEE

Nom Size	D	d	L
20	44	21	125
25	56	26	158
32	65	33	189
40	80	41	239
50	92	51	262
63	114	64	303
75	128	76	365
90	152	91	420
110	182	111	482

PP COMPRESSION FITTINGS

85-86



ITEM NO:PT006

FEMALE THREAD TEE

Nom Size	D	d	D1	G	L1	L
20X 1/2"	44	21	31.6	1/2"	16	125
20X 3/4"	44	21	38.6	3/4"	19	125
25X 1/2"	56	26	31.6	1/2"	16	158
25X 3/4"	56	26	38.6	3/4"	19	158
25X1"	56	26	47.4	1"	22	158
32X 1/2"	65	33	31.6	1/2"	16	189
32X 3/4"	65	33	38.6	3/4"	19	189
32X1"	65	33	47.4	1"	22	189
40X1 1/4"	80	41	62.0	1 1/4"	24	239
50X1"	92	51	47.4	1"	22	262
50X1 1/2"	92	51	67.0	1 1/2"	24	262
50X2"	92	51	81.2	2"	28	262
63X1"	114	64	47.4	1"	22	303
63X2"	114	64	81.2	2"	28	303
75X2 1/2"	128	76	105	2 1/2"	33	365
90X3"	152	91	126	3"	35	420
110X3"	182	111	126	3"	35	482
110X4"	182	111	157	4"	40	482



ITEM NO:PT007

MALE THREAD TEE

Nom Size	D	d	D1	R	L1	L
20X 1/2"	44	21	12	1/2"	14	125
20X 3/4"	44	21	16	3/4"	16	125
25X 1/2"	56	26	12	1/2"	14	158
25X 3/4"	56	26	16	3/4"	16	158
32X 1/2"	65	33	12	1/2"	14	189
32X1"	65	33	22	1"	19	189
40X1 1/4"	80	41	30	1 1/4"	21	239
40X1 1/2"	80	41	34	1 1/2"	21	239
50X1 1/2"	92	51	34	1 1/2"	21	262
50X2"	92	51	46	2"	26	262
63X2"	114	64	46	2"	26	303
75X2 1/2"	128	76	59	2 1/2"	30	365
90X3"	152	91	70	3"	33	420
90X4"	152	91	89	4"	38	420
110X4"	182	111	89	4"	38	482



ITEM NO:PT008

FEMALE THREAD SOCKET

Nom Size	D	d	D1	G	L	h
20X 1/2"	44	21	31.6	1/2"	16	75
20X 3/4"	44	21	38.6	3/4"	19	78
25X 1/2"	56	26	31.6	1/2"	16	92
25X 3/4"	56	26	38.6	3/4"	19	95
25X1"	56	26	47.4	1"	22	98
32X 3/4"	65	33	38.6	3/4"	19	107
32X1"	65	33	47.4	1"	22	110
40X1 1/4"	80	41	62	1 1/4"	24	137
50X1 1/4"	92	51	62	1 1/4"	24	151
50X1 1/2"	92	51	67	1 1/2"	24	151
50X2"	92	51	81.2	2"	28	155
63X1 1/2"	114	64	67	1 1/2"	24	161
63X2"	114	64	81.2	2"	28	165
75X2"	128	76	81.2	2"	28	188
75X2 1/2"	128	76	105	2 1/2"	33	193
75X3"	128	76	126	3"	35	195
90X2 1/2"	152	91	105	2 1/2"	33	212
90X3"	152	91	126	3"	35	214
90X4"	152	91	157	4"	40	219
110X2"	182	111	81.2	2"	28	228
110X3"	182	111	126	3"	35	235
110X4"	182	111	157	4"	40	240




ITEM NO:PT012

SOCKET

Nom Size	D	d	L
20	44	21	100
25	56	26	130
32	65	33	149
40	80	41	193
50	92	51	216
63	114	64	233
75	128	76	276
90	152	91	311
110	182	111	350

PP COMPRESSION FITTINGS


87-88



ITEM NO:PT009

MALE THREAD SOCKET


Nom Size	D	d	d1	R	L1	L
20X 1/2"	44	21	12	1/2"	14	73
20X 3/4"	44	21	16	3/4"	16	75
20X1"	44	21	22	1"	19	78
25X 1/2"	56	26	12	1/2"	14	90
25X 3/4"	56	26	16	3/4"	16	92
25X1"	56	26	22	1"	19	95
32X 3/4"	65	33	16	3/4"	16	104
32X1"	65	33	22	1"	19	107
32X1 1/4"	65	33	30	1 1/4"	21	109
40X1"	80	41	22	1"	19	132
40X1 1/4"	80	41	30	1 1/4"	21	135
40X1 1/2"	80	41	34	1 1/2"	21	135
50X1 1/4"	92	51	30	1 1/4"	21	148
50X1 1/2"	92	51	34	1 1/2"	21	148
50X2"	92	51	46	2"	26	153
63X1 1/2"	114	64	34	1 1/2"	21	158
63X2"	114	64	46	2"	26	163
75X2"	128	76	46	2"	26	186
75X2 1/2"	128	76	59	2 1/2"	30	190
75X3"	128	76	70	3"	33	193
90X2"	152	91	46	2"	26	205
90X2 1/2"	152	91	59	2 1/2"	30	209
90X3"	152	91	70	3"	33	212
90X4"	152	91	89	4"	38	217
110X2"	182	111	46	2"	26	226
110X3"	182	111	70	3"	33	233
110X4"	182	111	89	4"	38	238



ITEM NO:PT013

END CAP

Nom Size	D	d	h
20	44	21	59
25	56	26	76
32	65	33	88
40	80	41	113
50	92	51	127
63	114	64	137
75	128	76	160
90	152	91	179
110	182	111	200



ITEM NO:PT010

REDUCING TEE


Nom Size	D1	d1	D2	d2	L
20X25	44	21	56	26	125
25X20	56	26	44	21	158
32X25	65	33	56	26	189
40X32	80	41	65	33	239
50X32	92	51	65	33	262
50X40	92	51	80	41	262
63X50	114	64	92	51	303
75X63	128	76	114	64	365
90X75	152	91	128	76	420
110X90	182	111	152	91	482



ITEM NO:PT011

REDUCING SOCKET

Nom Size	D1	d1	D2	d2	L
25X20	56	26	44	21	117
32X20	65	33	44	21	129
32X25	65	33	56	26	143
40X25	80	41	56	26	168
40X32	80	41	65	33	174
50X32	92	51	65	33	188
50X40	92	51	80	41	207
63X32					
63X50	114	64	92	51	227
75X50					
75X63	128	76	114	64	256
90X63	152	91	114	64	275
90X75	152	91	128	76	295
110X90	182	111	152	91	332




ITEM NO:PEC01

BSPT & NPT THREAD TRANSFER SOCKET

Nom Size	d1	D1	L	d2	D2
63X32	33	65.5	198.5	64	114.05
75X50	51	92.5	43	76	257.2

PP VALVES&FITTINGS FOR IRRIGATION

87-88



ITEM NO:PTC01

TANK CONNECTOR

Nom Size	Rc	D	D1	L	L1	H	G
3/4"	3/4"	44	48	17.6	25.36	76	3/4"
1"	1"	55	60	22	31.7	95	1"
1 1/2"	1 1/2"	72	78	27.5	37.7	129	1 1/2"
2"	2"	86	93	31	43.7	157.5	2"
1/2"	1/2"	40	45	15	20	70	1/2"
1 1/4"	1 1/4"	70	75.5	27	35.6	121	1 1/4"
3"	3"	90	99	35	46	162	3"



ITEM NO:PT012

FLANGE


Nom Size				
40x1 1/2"	50x1 1/2"	50x2"	63x2"	63x2 1/2"
75x2 1/2"	75x3"	90x3"	90x4"	110x4"



ITEM NO:PT013

COMPRESSION BALL VALVE


Nom Size				
20 × 20	25 × 25	32 × 32	40 × 40	50 × 50
63 × 63	75 × 75	90 × 90	110 × 110	



ITEM NO:PI002

IRRIGATION FILTER


Nom Size	A	L1	L2	L3
63	175	318	414	312



ITEM NO:PI003

IRRIGATION VALVE

Nom Size	d	d1	A	H	L
16	12	10	29	53	96



ITEM NO:PI001

ADJUSTABLE DRIPPER

Nom Size	D1	A	L1	L
	15	20	9.5	20.5



ITEM NO:PI004

IRRIGATION FITTING

Nom Size	d	d1	A	L
16	12	9	35	57



ITEM NO:PI005

PP IRRIGATION CAP L

Nom Size	A	L
	8	11



ITEM NO:PI006

PP IRRIGATION CAP II

Nom Size	d	A	L
	6	8.5	20



ITEM NO:PI007

IRRIGATION ROLLING FITTING


Nom Size	d	d1	A	L
16	11	7	46	118

Clamp saddles

FEATURES


Material: PP
To be installed on pipes confirming to:
—PE: EN 12201 / ISO 3607 / ISO 14236 / DIN 8072 / DIN 8074 / UNI 10910
—PP: ISO 3609 / DIN 8077 / UNI 8318
—PVC-U: EN 1452-2

FIG.	Parts	Material
1	Upper body	PP
2	Lower body	PP
3	Bolts and nuts	Zinc plated steel
4	O-ring	NBR
5	Reinforce ring	Stainless steel




ASSEMBLY


- A.**Clean the external surface of the pipe.
Be sure that the O-Ring is in its position.
- B.**Couple the upper portion of the saddle with the lower one on the pipe.
Insert the bolts, screw in the nuts and tighten the bolts diagonally opposite each other.
- C.**Drill a hole in the pipe wall. Do not damage the O-Ring or the pipe near the seal zone.
Use the right tools.



Clamp saddles



Nom Size	D	G	D1	d1	L1	L	A	Nom Size	D	G	D1	d1	L1	L	A
25x1/2"	31	1/2"	34	25	26	50	76	75x1-1/2"	61.6	1-1/2"	89	75	45	108	117.6
25x3/4"	37	3/4"	34	25	26	52	76	75x2"	74	2"	89	75	45	112.5	117.57
32x1/2"	31	1/2"	41	32	27	51	78	90x1/2"	31.2	1/2"	105	90	44	121	117.6
32x3/4"	37	3/4"	41	32	27	53	78	90x3/4"	37	3/4"	105	90	44	123	138
32x1"	44	1"	41	32	27	56	84	90x1"	44	1"	105	90	44	126	138
40x1/2"	37	1/2"	50	40	32	66	85	90x1-1/4"	53	1-1/4"	105	90	44	129	138
40x3/4"	37	3/4"	50	40	32	68.5	85	90x1-1/2"	61.6	1-1/2"	105	90	44	129	138
40x1"	44	1"	50	40	32	71.5	85	90x2"	74	2"	105	90	44	129	138
50x1/2"	44	1/2"	60	50	34	76	85	110x1/2"	31	1/2"	126.4	110	37.2	142	158
50x3/4"	44	3/4"	60	50	34	78	85.5	110x3/4"	37	3/4"	126.4	110	37.2	142.2	158
50x1"	44	1"	60	50	34	81.4	85.5	110x1	44	1"	126.4	110	37.0	147.2	158
50x1-1/4"	53	1-1/4"	60	50	34	85	85.5	110x1-1/2"	61.6	1-1/2"	126.4	110	37.2	148.7	158
63x1/2"	31	1/2"	74.2	63	36	90.2	96	110x1-1/4"	53	1-1/4"	126.4	110	37.2	148.7	158
63x3/4"	37	3/4"	74.2	63	36	92.2	100	110x2"	73.4	2"	126.3	110	37.2	147.2	158
63x1"	44	1"	74.2	63	36	97.0	100	110x3"	104	3"	126.4	110	37.2	158.7	158
63x1-1/4"	53	1-1/4"	74.2	63	36	98.2	100	160x1/2"	31	1/2"	181	160	51	200.5	211
63x1-1/2"	61.6	1-1/2"	74.2	63	36	98.2	100	160x1"	44	1"	181	160	51	200.5	211
75x1/2"	31	1-1/2"	89	75	45	105	100	160x2"	73.4	2"	181	160	51	200.5	211
75x3/4"	37	3/4"	89	75	45	107	117.6	160x3"	104	3"	181	160	51	212	211
75x1"	44	1"	90.2	75	45	108	117.6	200x2"	73.4	2"	222.6	200	57.6	244.9	265
75x1-1/4"	53	1-1/4"	89	75	45	110.5	117.6	200x3"	104	3"	181	200	57.6	265.2	255.3



ITEM NO: FLT6001


Y SCREEN FILTER

MODEL	DIMENSIONS / mm				
	A-B	H	W	X	D
3/4"	3/4" BSP	173	185	158	83
1"	1" BSP	173	190	168	83
1 1/2" SUPER	1 1/2" BSP	246	261	252	143
2"	2" BSP	255	272	263	143

MAXIMUM PRESSURE 8 BAR/116 PSI; MAXIMUM TEMPRETURE 60°C / 140 F

PERFORMANCE DATA

size	connector	max recommended flow		filter surface	
3/4"	3/4" BSP	5 M3/H	22 GPM	160 CM2	25 IN2
1"	1" BSP	6 M3/H	26 GPM	160 CM2	25 IN2
1-1/2"	1-1/2" BSP	20 M3/H	88 GPM	490 CM2	76 IN2
2"	2" BSP	25 M3/H	110 GPM	485 Cm2	75 In2



ITEM NO: FLT6003

Y DISC FILTER

MODEL	DIMENSIONS / mm				
	A-B	H	W	X	D
3/4"	3/4" BSP	173	185	158	83
1"	1" BSP	173	190	168	83
1 1/2" SUPER	1 1/2" BSP	246	261	252	143
2"	2" BSP	255	272	263	143

MAXIMUM PRESSURE 8 BAR/116 PSI; MAXIMUM TEMPRETURE 60°C / 140 F

PERFORMANCE DATA

size	connector	max recommended flow		filter surface	
3/4"	3/4" BSP	5 M3/H	22 GPM	180 CM2	28 IN2
1"	1" BSP	6 M3/H	26 GPM	180 CM2	28 IN2
1-1/2"	1-1/2" BSP	20 M3/H	88 GPM	535 CM2	83 IN2
2"	2" BSP	25 M3/H	110 GPM	525 Cm2	81 In2

FILTERS

91-92



ITEM NO: FLT6013

SCREEN FILTER

CONNECTOR	MODEL	CONNECTION			DIMENSIONS(mm)		
		A	B	C	N	W	X
2" NORMAL	2NR	BSP	BSP	BSP	597	309	133
	2NA	NPT	NPT	NPT			
	2NV	VIC	VIC	BSP			
	2NW	VIC	BSP	VIC			
2" SUPER	2SR	BSP	BSP	BSP	721	309	133
	2SA	NPT	NPT	NPT			
	2SV	VIC	VIC	BSP			
	2SW	VIC	BSP	VIC			
3" NORMAL	3NR	BSP	BSP	BSP	623	34	160
	3NA	NPT	NPT	NPT			
	3NV	VIC	VIC	BSP			
	3NW	VIC	BSP	VIC			
3" SUPER	3SR	BSP	BSP	BSP	747	340	160
	3SA	NPT	NPT	NPT			
	3SV	VIC	VIC	BSP			
	3SW	VIC	BSP	VIC			

PH>4 MAXIMUM PRESSURE 10 BAR / 145 PSI; MAXIMUM TEMPRETURE 60°C / 140F

PERFORMANCE DATA

size	connector	max recommended flow		filter surface	
2"	2" BSP	30 M3/H	132 GPM	815 CM2	126 IN2
2" super size	2" BSP	30 M3/H	132 GPM	1087 CM2	169 IN2
3"	3" BSP	30 M3/H	132 GPM	1087 CM2	169 IN2
3" super size	3" BSP	50 M3/H	220 GPM	1087 Cm2	169 In2



ITEM NO: FLT6014

DISC FILTER

CONNECTOR	MODEL	CONNECTION			DIMENSIONS(mm)		
		A	B	C	N	W	X
2" NORMAL	2NR	BSP	BSP	BSP	597	309	133
	2NA	NPT	NPT	NPT			
	2NV	VIC	VIC	BSP			
	2NW	VIC	BSP	VIC			
2" SUPER	2SR	BSP	BSP	BSP	721	309	133
	2SA	NPT	NPT	NPT			
	2SV	VIC	VIC	BSP			
	2SW	VIC	BSP	VIC			
3" NORMAL	3NR	BSP	BSP	BSP	623	34	160
	3NA	NPT	NPT	NPT			
	3NV	VIC	VIC	BSP			
	3NW	VIC	BSP	VIC			
3" SUPER	3SR	BSP	BSP	BSP	747	340	160
	3SA	NPT	NPT	NPT			
	3SV	VIC	VIC	BSP			
	3SW	VIC	BSP	VIC			


PH>4 MAXIMUM PRESSURE 10 BAR / 145 PSI; MAXIMUM TEMPRETURE 60°C / 140F

PERFORMANCE DATA

size	connector	max recommended flow		filter surface	
2"	2" BSP	30 M3/H	132 GPM	1198 CM2	186 IN2
2" super size	2" BSP	30 M3/H	132 GPM	1699 CM2	263 IN2
3"	3" BSP	30 M3/H	132 GPM	1699 CM2	263 IN2
3" super size	3" BSP	50 M3/H	220 GPM	1699 Cm2	263 In2

PP THREAD FITTINGS


91-92



ITEM NO: TH001

90° ELBOW


Nom Size	D	Rc	L	h
1/2"	34.5	1/2"	17	31.75
3/4"	41.5	3/4"	17.5	31.5
1"	50.5	1"	21	39.25



ITEM NO: TH002

90° ELBOW M/F


Nom Size	D1	D2	Rc	R	L	d	H1	H2
1/2"	34.5	22	1/2"	1/2"	17	11.5	30.8	33
3/4"	41.5	27	3/4"	3/4"	17.5	16	35	38.5



ITEM NO: TH003

UNION


Nom Size	D	D1	Rc	L	I
1/2"	28	51	1/2"	53	18
3/4"	33.6	58	3/4"	57.5	20



ITEM NO: TH004

MALE THREAD COUPLING


Nom Size	D	Rc	L	H
1/2"	13.2	1/2"	16.5	41.5
3/4"	17	3/4"	17.2	43.9
1"	21.5	1"	19.9	49



ITEM NO: TH005

REDUCING COUPLING


Nom Size	D1	D2	Rc1	Rc2	L1	L2	H
1/2" x 3/4"	34.5	41.5	1/2"	3/4"	16	16.5	34.7



ITEM NO: TH006

45° ELBOW


Nom Size	D	Rc	L	h
1/2"	34.5	1/2"	17	30



ITEM NO: TH007

COUPLING


Nom Size	D	Rc	L	H
1/2"	34.5	1/2"	17	36.5
3/4"	41.5	3/4"	17.5	37



ITEM NO: TH008

TEE


Nom Size	D	Rc	L	H	h
1/2"	34.5	1/2"	17	59	29.5
3/4"	41.5	3/4"	17.5	64.5	33
1"	50.5	1"	20	77.5	39



ITEM NO: TH009

PLUG FEMALE


Nom Size	D	Rc	L	H
1/2"	28.5	1/2"	16.2	23
3/4"	36	3/4"	16.7	23.7



ITEM NO: TH010

REDUCER


Nom Size	Rc	R	L1	L2	H
3/4" x 1/2"	3/4"	1/2"	20.8	18.6	25.6



ITEM NO: TH011

REDUCER


Nom Size	D	Rc	L	H
1/2" 10"	13	1/2"	16	100
1/2" 6"	13	1/2"	16	150
3/4"	17	3/4"	17	100



ITEM NO: TH012

REDUCER

Nom Size	D	Rc	L	H
1/2"	29	1/2"	17	24
3/4"	36	3/4"	17.5	25



ITEM NO: TH013

REDUCING TEE

Nom Size	D1	D2	Rc1	Rc2	L1	L2	H	h
1" x 1/2"	50.5	34.5	1"	1/2"	20	17	75	39
1" x 3/4"	50.5	41.5	1"	3/4"	20	17.5	75	40.5
3/4" x 1/2"	41.5	34.5	3/4"	1/2"	17	17.5	64.5	32.3

ITEM NO : PEX 001



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
COUPLING						
1/2"	1120	415*300*345	0.042	12.20	11.20	0.012
3/4"	768	430*290*295	0.036	16.36	15.36	0.016
1"	360	440*270*295	0.035	11.80	10.80	0.026

ITEM NO : PEX 002



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
90° ELBOW						
1/2"	600	460*320*275	0.040	13.00	12.00	0.018
3/4"	360	445*275*330	0.040	11.80	10.80	0.029
1"	240	385*360*315	0.043	13.00	12.00	0.045

ITEM NO : PEX 003



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
TEE						
1/2"	400	370*330*305	0.037	11.40	10.40	0.026
3/4"	256	400*315*263	0.033	9.96	8.96	0.036
1"	216	430*370*315	0.050	14.14	13.17	0.062

ITEM NO : PEX 004



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
REDUCING TEE						
1/2**3/4"	320	390*310*325	0.039	11.56	10.56	0.033
1/2**1"	216	420*350*315	0.046	12.88	11.88	0.057
1**3/4"	216	420*350*315	0.046	13.31	12.31	0.057

ITEM NO : PEX 005



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
REDUCING COUPLING						
1/2**3/4"	576	435*295*235	0.030	9.35	8.35	0.015
1/2**1"	360	440*270*250	0.029	8.20	7.20	0.021
1**3/4"	360	440*270*250	0.029	8.20	7.20	0.022

ITEM NO : PEX 006



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
UNION						
1/2"	240	430*320*255	0.035	10.60	9.60	0.037
3/4"	192	480*365*250	0.043	15.40	14.40	0.053
1"	96	435*295*280	0.036	8.68	7.68	0.082

ITEM NO : PEX 007



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
FEMALE THREAD TEE						
1/2"	240	400*305*265	0.032	15.88	14.88	0.035
3/4"	144	435*275*236	0.028	13.00	12.00	0.048
1"	120	350*320*340	0.038	17.56	16.56	0.078

ITEM NO : PEX 008



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
FEMALE THREAD ELBOW						
1/2"	480	410*380*310	0.048	26.44	25.44	0.027
3/4"	240	455*270*290	0.035	18.04	17.04	0.035
1"	144	410*325*275	0.037	18.56	17.56	0.060

ITEM NO : PEX 009



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
REDUCER FEMALE THREAD TEE						
3/4"*1/2"	192	435*320*235	0.033	15.20	14.20	0.048
1*1/2"	160	385*350*310	0.041	16.84	15.84	0.072
1*3/4"	160	385*350*310	0.041	18.44	17.44	0.073

ITEM NO : PEX 010



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
REDUCER FEMALE THREAD ELBOW						
3/4"*1/2"	360	450*400*285	0.051	25.48	24.48	0.068
1*1/2"	144	410*350*275	0.039	15.11	14.11	0.071
1*3/4"	144	410*335*270	0.037	15.83	14.83	0.067

ITEM NO : PEX 011



Spec	qty/ctn pc	meas mm	cbm cbm	g.w. kg	n.w. Kg	kg/pc kg
REDUCER ELBOW						
3/4"*1/2"	288	470*270*310	0.039	12.52	11.52	0.036
1*1/2"	288	470*285*310	0.041	13.96	12.96	0.034