LIANG CHEW HARDWARE

联洲五金

To Get Softcopy Book

Town Office

133 Kitchener Road
Singapore 208517
Tel (65) 6296 0224
Fax (65) 6296 7195 (Local)
Fax (65) 6392 1280 (International)
Email:
sales@norika.com.sg

North Office

10 Admiralty Street,
Northlink Building #02-45
Singapore 757695
Tel (65) 6555 7457
Fax (65) 6555 5710

To find more about us, Scan here to Liangchew.com !

Shop with us at Lazada and Shopee! #supportlocal

Edited: 13/02/2023

norika BALL VALVES

MATERIAL: BRASS

SKU: AVCRN
DZR BRASS ANGLE BALL VALVE [CHROME PLATED]
Size availability:
$^1/_2$"x$^3/_8$" , $^1/_2$"x$^1/_2$"

SKU: MBVCRN
DZR BRASS MINI BALL VALVE MxF [NICKEL PLATED]
Size availability:
1/4'' to 1''

SKU: MBVCRN-CP
1/2" DZR BRASS MINI BALL VALVE MxF [CHROME PLATED]

SKU: MBVCRCCN-CP
DZR BRASSMINI BALL VALVE CxC [CHROME PLATED]
Size availability:
$^1/_2$", $^3/_4$"

SKU:2WMBVCRN15
2 WAY MINI BALL VALVE
Size availability:
1/2''

SKU: BVCRN-F
DZR BRASS FULL BORE BALL STOP VALVE CHROME PLATED
Size availability:
½" to 4"

SKU: BVLN
LOCKABLE BRASS FULL BORE BALL VALVE
Size availability:
½" to 2"

SKU: NJF772
DZR BRASS TWO WAY VALVE
Size availability:
1/2"

SKU: FVBR
BRASS FOOT VALVE C/W BS21 FEMALE THRAEDED END
Size availability:
1/2" to 4"

SKU: BVCRCCN-F
DZR BRASS COMPRESSION BALL VALVE
Size availability:
1-1/4" to 2½"

SKU: MBVCRN015TO
DZR BRASS [CXC] TEE OFF MINI BALL VALVE [NICKEL PLATED] [MXF]
Size availability:
1/2"

NEW

SKU: MBVCRN015TOPF
DZR BRASS [PFxPFxCC] TEE OFF MINI BALL VALVE [CHROME PLATED] [MXF]
Size availability:
1/2"

NEW

SKU: MBVCRPFN015
1/2" DZR BRASS [PFXCC] MINI BALL VALVE [CHROME PLATED]

MATERIAL: AISI304/316

SKU: BVSS316N
STAINLESS STEEL 316 FULL BORE STOP VALVE
Size availability:
¼" to 4"

SKU: BVSSPFN
STAINLESS STEEL 304 FULL BORE BALL STOP VALVE
Size availability:
¼" to 4"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika CHECK VALVES

MATERIAL: DUCTILE IRON

SKU: CVDIU
DUCTILE IRON UNI-CHECK VALVE
Size availability (inch): 2" to 12"

SKU: CVDIN
DUCTILE IRON TWIN FOLD WAFFLE CHECK VALVE
Size availability (inch): 3" to 8"

SKU: SCVDIN
DUCTILE IRON SWING CHECK VALVE
Size availability (inch): 3" to 8"

SKU: CVDIN-F
DUCTILE IRON DOUBLE FLANGE CHECK VALVE
Size availability (inch): 3", 4", 6"

SKU: CVDIN100FBP
4" DUCTILE IRON SPRING LOADED BYPASS SILENT CHECK VALVE

MATERIAL: BRASS / BRONZE

SKU: CVCRN-MF
DZR BRASS CHECK VALVE MxF
Size availability (inch): ¾", 1¼", 2", 2½"

SKU: CVCRNB-MF
DZR BRASS PISTON SPRING CHECK VALVE MxF
Size availability (inch): 1/2" to 2"

SKU: CVCRNB
DZR BRASS PISTON SPRING CHECK VALVE FxF
Size availability (inch): ½" to 2"

SKU: CVCRCCN
DZR BRASS SPRING CHECK VALVE CxC
Size availability (inch): 1/2" to 21/2"

NEW

SKU: CVCRPFN
PRESSFIT BRASS CR SPRING CHECK VALVE WITH INSPECTION HOLE
Size availability: 1/2" to 2-1/2"

SKU: DCVCRN
DZR BRASS DOUBLE CHECK VALVE [CxC]
Size availability (inch): 1/2", 3/4"

SKU: DCVCRN015MFCP
DZR BRASS DOUBLE CHECK VALVE MxF [CHROME PLATED]
Size availability (inch): 1/2"

SKU: DCVCRN-MF
DZR BRASS DOUBLE CHECK VALVE MxF
Size availability (inch): 3/4", 1"

SKU: SCVBR
"AMICO" HORIZONTAL BRASS SWING CHECK VALVE
Size availability (inch): 1/2" to 4"

SKU: VBN-IN15
1/2" DZR BRASS IN–LINE ANTI-VACUUM BREAKER

SKU: VBN15
1/2" BRONZE ANTI-VACUUM VALVE

SKU: FAV025
1" BRASS AUTOMATIC AIR RELEASE VALVE

MATERIAL: AISI316

SKU: CVSS316N
AISI316 SPRING LOADED CHECK VALVE
Size availability (inch): 11/2" to 4"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

VALVES

DUCTILE IRON VALVE:

SLUICE VALVE:

SKU: SVDIN /SVDIN-PUB
DUCTILE IRON
SLUICE VALVE
(Clockwise to close/
Clockwise to open)
Size availability:
3" to 16"

SKU: SVDIN-15
DUCTILE IRON
SLUICE VALVE WITH
15 MM HOLE
Size availability:
3" to 6"

BUTTERFLY VALVE:

SKU: BTFVN
DUCTILE IRON
BUTTERFLY VALVE
Size availability:
2" to 12"

SOLENOID PILOT OPERATED VALVE:

SKU: SPOVN100
4" DUCTILE IRON
SOLENOID PILOT
OPERATED VALVE

GLOBE VALVE:

SKU: GLVDIN100
4" DUCTILE IRON
GLOBE VALVE RISING
STEM

BALL FLOAT VALVE

SKU: BFVN
BALL FLOAT VALVE
[THREAD END]
Size availability:
DZR BRASS: ½" to 1½"
BRONZE: 2" to 6"

SKU: BFVPN
DZR BRASS ANGLE
BALL FLOAT VALVE
[THREAD END]
Size availability:
½" & 1"

SKU: BFVNRK
RUBBER SEAL KIT
FOR BALL FLOAT
VALVE
Size availability:
½" to 6"

NEW

SKU: BFVN-316L
AISI316L BALL FLOAT
VALVE [THREAD END]
Size availability:
½" to 2"

STOP COCK:

SKU: SCFFCRN
DZR BRASS STOP COCK
FEMALE THREAD END
Size availability:
1/2'' to 1''

SKU: SCCRN
DZR BRASS STOP
COCK [CxC]
Size availability:
1/2'' to 1''

SKU: SCCRN
BRONZE STOP
COCK [CXC]
Size availability:
1¼" to 2"

SKU: SCCRN035CR
DZR BRASS STOP
COCK [CXC]
Size availability:
1¼"

SKU: SCMBLN035
BRONZE STOP COCK
SOLDERING END
Size availability:
1¼"

NEW

SKU: SCCRPFN02015S
BRASS CR STOP COCK PFXFI
EDN FOR WATER METER
Size availability:
22MM x ½"

GATE VALVE:

SKU: GVCRN
DZR BRASS GATE
VALVE THREAD END
Size availability:
1/2'' to 4''

SKU: GVMBLN
BRONZE GATE VALVE
SOLDERING END
Size availability:
1/2'' to 3''

SKU: GVCRCCN
BRONZE PN16
GATE VALVE [CXC]
Size availability:
1/2" to 2''

SKU: GVCRPFN
DZR BRASS PRESSFIT
GATE VALVE
Size availability:
½" to 3"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

AISI304 FLUID SOLENOID VALVE (Waterproof Grade: IP67 / IP65)

SKU: SVSSN
NORMALLY CLOSED
Size availability:
1/2" to 2"

SKU: SVSSN-NO
NORMALLY OPENED
Size availability:
1/2" to 2"

SKU: SVSSN-IP65ES
THREAD END
(ENGENERGY SAVING NORMALLY CLOSE)
Size availability:
½" to 2"

SKU: SVSSN-F
FLANGE END
(NORMALLY CLOSE)
Size availability:
2½" to 4"

SKU: SVSSN-FNO
FLANGE END
(NORMALLY OPEN)
Size availability:
2½" to 4"

* Note: Normally closed means when powered off.

PRESSURE REDUCING VALVE

SKU: PRVCRN
PRESSURE REDUCING VALVE C/W FEMALE BSP THREAD
Size availability:
1/2'' to 21/2''

SKU: PRVCRN-FH
PRESSURE REDUCING VALVE C/W FLANGE END (horizontally installed)
Size availability:
6''

SKU: PRVCRN-F
PRESSURE REDUCING VALVE C/W FLANGE END
Size availability:
3'' to 4''

SKU: PRVDIN-F
PILOT OPERATED PRESSURE REDUCING VALVE FLANGE END
Size availability:
4'' to 6''

STATIC THERMAL CONTROL BALANCING VALVE

SKU: TBVCRN
BRASS BALANCING VALVE [THREAD ENDED]
Size availability:
1/2" to 2"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika TAPS / MIXER / FLUSH VALVE

TAP & SHOWER STOPCOCK & TAP BOX:

SKU: LTCRN15
STAINLESS STEEL HANDLE BRASS CR LOCKABLE UNION TAP
WELS Rating: √√√

SKU: LTCRN15R
RED HANDLE BRASS CR LOCKABLE UNION TAP
WELS Rating: √√√

SKU: UTN15
BRASS CR HOSE UNION TAP C/W CHROME PLATED
WELS Rating: √√

SKU: UTN15SS
BRASS CR HOSE UNION TAP C/W CHROME PLATED
WELS Rating: √√√

SKU: UTN15CP
WASHING MACHINE BIB TAP
WELS Rating: √√√

SKU: NXL0553
LOOSE KEY UNION TAP
WELS Rating: √√√

SKU: UTN15N
1/2" "NORIKA" HOSE UNION TAP NOZZLE

SKU: NXL0556
CROSS HANDLE UNION TAP C/W AERATOR
WELS Rating: √√√

SKU: NXG15A
E-ACTION WALL UNION TAP
WELS Rating: √√√

SKU: NJF766
BRASS CHROME PLATED LUXURY TWO WAY TAP
WELS Rating: √√

SKU: NXL0554
CROSS HANDLEQUICK TURN ACTION SHOWER STOP COCK

SKU: NXL0554L
LEVEL HANDLEQUICK TURN ACTION SHOWER STOP COCK

SKU: NXL0552
CROSS HANDLE PILLAR SINK TAP
WELS Rating: √√

SKU: NXL0552L
LEVER HANDLE PILLAR SINK TAP
WELS Rating: √√

SKU: NXG0651
CROSS HANDLE TWO WAY TAP
WELS Rating: √√√

SKU: NXG5
QUICK TURN ACTION WALL SINK TAP
WELS Rating: √√√

SKU: NXG6L
QUICK TURN ACTION PILLAR SINK TAP
WELS Rating: √√√

SKU: NML9
SINGLE INLET COLD BASIN TAP
WELS Rating: √√

SKU: NML8
NORMAL-CROSS HANDLE BASIN PILLAR TAP
WELS Rating: √√√

SKU: NML8L
SHORT HANDLE QUICK ACTION CHROME PLATED BASIN PILLAR TAP
WELS Rating: √√√

SKU: NXL9
SINGLE INLET COLD LEVER SINK TAP
WELS Rating: √√

SKU: NJ23
QUICK TURN ACTION CROSSED CYLINDRICAL SPOKE DESIGNER ANGLE VALVE

SKU: NJ24
QUICK TURN ACTION DESIGNER SQUARE ANGLE VALVE

SKU: TBSS
STAINLESS STEEL 304 TAP BOX

SENSOR TAPS

SKU: STN8110AD
SENSOR BASIN FAUCET TAP
WELS Rating: √√√

SKU: STN8113AD
SENSOR BASIN PILLAR TAP
WELS Rating: √√

SKU: STN305D
WALL MOUNTED SENSOR TAP
WELS Rating: √√

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

MIXER TAPS

SKU: NSFK2035D
AISI304 PULL-OUT SINK MIXER TAP WITH TOUCH SENSOR CONTROL
WELS Rating: √√√

SKU: NSFK808C
AISI304 PULL-OUT SINK MIXER TAP
WELS Rating: √√

SKU: NSFK804G
AISI304 PULL-OUT SINK MIXER TAP
WELS Rating: √√

SKU: NXTS001
AISI304 LEVER HANDLE PILLAR SINK TAP
WELS Rating: √√√

SKU: NYG31
WALL MOUNTED SINGLE LEVER LONG BATH MIXER
WELS Rating: √√√

SKU: NXG12
SINGLE LEVER SINK MIXER
WELS Rating: √√√

SKU: NMG38
SINGLE LEVER SINK MIXER

COMMERCIAL PRE-RINSE MIXER TAPS, HANDICAPPED TAPS & ACCESSORIES:

SKU: NCP5802A
COMMERICAL PRE-RINSE HOT/COLD MIXER
WELS Rating: √√

SKU: NCP0213
COMMERICAL PRE-RINSE HOT/COLD MIXER
WELS Rating: √√

SKU: NML8XL
LEVER HANDLE BASIN PILLAR TAP FOR AMBULANT TOILET
WELS Rating: √√√

SKU: NXL0551
CROSS HANDLE WALL SINK TAP
WELS Rating: √√√

SKU: NXL0551L
LEVER HANDLE WALL SINK TAP
WELS Rating: √√√

SKU: NFBSS
F&B SWING SPOUT
LENGTH: 4" to 22"

DELAY ACTION TAPS:

SKU: DATNLG901
PRESSMATIC SELF CLOSING EXPOSED SHOWER TAP
WELS Rating: √√

SKU: DATNML6
DELAY ACTION BASIN FAUCET
WELS Rating: √√√

SKU: DATNML16
DELAY ACTION BASIN FAUCET
WELS Rating: √√√

SKU: DATNML901
PRESSMATIC BID TAP DELAY ACTION WATERSAVING
WELS Rating: √√√

FOOT, KNEE OPERATED VALVES & ACCESSORIES:

SKU: DATNFV
FOOT OPERATED VALVE

SKU: DATNKV
EXPOSED KNEE OPERATED VALVE

SKU: DATNG747
SPOUT FOR THE SINK

SKU: DATN744
BASIN-MOUNTED OUTLET SPOUTS

SKU:FRN2T/ FRN4
2L/4L TERMINAL FLOW REGULATOR

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

WATER PURIFIER FAUCET & ACCESSORIES:

SKU: NWPF06
STAINLESS STEEL
304 WATER
PURIFIER FAUCET

SKU: MBVSSN-TO
AISI304 SHUT OFF
VALVE TEE FOR
WATER PURIFIER
½"x 3/8" & ½"x ¼"

SKU: WFN
WATER FILTER
5", 10"

SKU: WFE
WATER FILTER
CARTRIDGE ELEMENT
5", 10"

SKU: BTN20
BOILER TAP

SKU: PIPPE
PE PIPE FOR
WATER PURIFIER
Size: 1/4", 3/8", 1/2"

SKU: PEE90
PE PUSH-FIT
EQUAL ELBOW
Size: 1/4", 3/8", 1/2"

SKU: PERE90
PE PUSH-FIT
REDUCING ELBOW
Size: 1/4"x3/8"

SKU: PEES
PE PUSH-FIT
EQUAL SOCKET
Size: 1/4"x3/8"

SKU: PERS
PE PUSH-FIT
REDUCING SOCKET
Size: 1/4"x3/8"

SKU: PEET
PE PUSH-FIT
EQUAL TEE
Size: 1/4", 3/8", 1/2"

SKU: PEMIS
PE PUSH-FIT
MI ADAPTOR
Size: 1/4"x1/4" TO
1/2"x1/2"

SKU: PEFIS
PE PUSH-FIT
FI ADAPTOR
Size: 1/4"x1/4" TO
1/2"x1/2"

SKU: PEMIE
PE PUSH-FIT
MI ELBOW
Size: 1/4", 3/8", 1/2"

SKU: PEFIE
PE PUSH-FIT
FI ELBOW
Size: 1/4", 3/8", 1/2"

SKU: PEMBV
PE PUSH-FIT MINI
BALL VALVE
Size: 1/4", 3/8", 1/2"

FLUSHING VALVE:

SKU: MFVNBC3
EXPOSED MANUAL
OPERATED URINAL
FLUSH VALVE
WELS Rating: √√

SKU: MFVNBC4
EXPOSED MANUAL
OPERATED
W.C FLUSH VALVE

(Operated By Sensor:)

SKU: AFVN1067ADE
URINAL [EXPOSED]
CONCEAL AUTO
SENSOR FLUSHING
SYSTEM

SKU: AFVN3700ADE
WC [EXPOSED]
CONCEAL AUTO
SENSOR FLUSHING
SYSTEM

SKU: AFVN1067AD
URINAL CONCEAL
AUTO SENSOR
FLUSHING SYSTEM

SKU: AFVN3700AD
WC CONCEAL AUTO
SENSOR
FLUSHING SYSTEM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika GRATINGS

FLOOR TRAP COVERS

SKU: SMARTDRAIN10040
AISI304L DECORATIVE SMARTDRAIN10040 TILE & MARBLE
100MMx100MMxØ37MM

SKU: SMARTDRAIN10050-HDB
AISI304L DECORATIVE SMARTDRAIN10050 TILE & MARBLE
100MMx100MMxØ48MM

SKU: SMARTDRAIN12550
AISI304L DECORATIVE SMARTDRAIN12550 TILE & MARBLE
125MMX125MMxØ50MM

SKU: SMARTDRAIN125-HDB
AISI304L DECORATIVE SMARTDRAIN125 TILE & MARBLE
125MMX125MMxØ103MM

SKU: SMARTDRAIN125
AISI304L DECORATIVE SMARTDRAIN125 TILE & MARBLE
125MMx125MMxØ103MM

SKU: SMARTDRAIN150-HDB
AISI304L DECORATIVE SMARTDRAIN150 TILE & MARBLE
150MMx150MMxØ103MM

SKU: SMARTDRAIN150
AISI304L DECORATIVE SMARTDRAIN150 TILE & MARBLE
150MMx150MMxØ102MM

SKU: SMARTDRAIN-U150
AISI304L DECORATIVE SMARTDRAIN URINAL TRAP COVER
150MMx150MM

SKU: 213MTN/213MTNB
213 UPVC ANTIMOSQUITO/ INSECT TRAP DEVICE WITH FILTER

SKU:SSCGN150HLS
6"X6" S/STEEL CAST ON GRATING C/W HAIRLINE FINISHING

SKU:SSCGN150NHHLS
6"X6" S/STEEL CAST ON GRATING C/W HAIRLINE FINISHING [NO HOLE]

SKU:SSCGN150HLSHD
6"X6" S/STEEL CAST ON GRATING C/W HAIRLINE FINISHING [HEAVY DUTY]

SKU:SSCGN150NHHLSHD
6"X6" S/STEEL CAST ON GRATING C/W HAIRLINE FINISHING [HEAVY DUTY] NO HOLE

SKU: SSGNHL-R3P
S/STEEL SS304 SQUARE GRATING C/W 3 PIN ROUND COVER
4"x4" & 6"x6"

SKU: SSGNHLNH-R3P
S/STEEL SS304 SQUARE GRATING C/W 3 PIN ROUND COVER [NO HOLE]
4"x4" & 6"x6"

SKU: SSGN-HLJ
S/STEEL GRATING C/W HAIRLINE FINISHING JAPAN STYLE /HEAVY DUTY
Size availability:
4"x4", 6"X6"

SKU:SSGN-HL
S/STEEL 304/316 GRATING C/W HAIRLINE FINISHING
Size availability:
4"X4" & 6"X6"

SKU: SSGN150HLWL
6" S/STEEL GRATING C/W HAIRLINE FINISHING [WITH LOCK] / HEAVY DUTY

SKU:SSGN-HLA
S/STEEL GRATING C/W HAIRLINE FINISHING [ANGLE]
Size availability:
4"X4", 6"x6"

SKU:SSGN-HLNH
S/STEEL 304/316 GRATING C/W HAIRLINE FINISHING [NO HOLE]
Size availability:
4"X4" & 6"X6"

SKU: SSGN150HLNHWL
6" S/STEEL GRATING C/W HAIRLINE FINISHING [NO HOLE WITH LOCK] / HEAVY DUTY

SKU:SSUGN-HL
S/STEEL 304/316 URINAL SQUARE GRATING C/W HAIRLINE FINISHING
Size availability:
6"X6" & 8"X8"

SKU:213G150
213 GRATING
6"X6"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

ROOF DRAIN GRATINGS & FLOOR WASTE

SKU:SSCRGN-HL
S/STEEL CASTING
ROUND FLOOR GRATING
Size availability:
4"X3", 6"X4"

SKU:SSCRGN-NHHL316
S/STEEL CASTING
ROUND FLOOR
GRATING [NO HOLE]
Size availability:
3"X2"

SKU: SSDGN080HL
80MM S/STEEL DOME
GRATING C/W HAIRLINE
FINISHING ROUND SHAPE

SKU: SSDGN080HLA
80MM S/STEEL DOME
GRATING C/W HAIRLINE
FINISHING ALMOND
SHAPE

SKU: SSDGN080HLEB
80MM S/STEEL DOME
GRATING C/W HAIRLINE
FINISHING

SKU:SSRGN-HL
S/STEEL ROUND GRATING
C/W HAIRLINE FINISHING
Size availability:
80MM , 115MM

SKU:SSRGN080HLJ
3" STAINLESS STEEL
JAPANESE DESIGN
ROUND GRATING

SKU:DIDG80
3" DUCTILE IRON
DOME GRATING

SKU: DICPGN150
6"x6" DUCTILE IRON
CAR PARK GRATING

SKU: DIRG
DUCTILE IRON
ROUNG GRATING
Size availability:
4", 6"

SKU:BRGN-HL
BRASS ROUND FLOOR
GRATING
Size availability:
3"X2", 4"X3", 6"X4"

SKU:BRGN-HLCP
BRASS ROUND GRATING
C/W HAIRLINE FINISHING
CHROME PLATED
Size availability:
4"X3", 6"X4"

SKU:BGN150SRNHHL
BRASS SQUARE
FLOOR GRATING
[NO HOLE]
Size availability:
6"X6"

SKU:BGN150SRNHHLCP
BRASS GRATING C/W
HAIRLINE FINISHING
CHROME PLATED [NO HOLE]
Size availability:
6"X6"

SKU:213RG
ROUND GRATING
3" , 4"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika BATHROOM ACCESSORIES

SOAP & PAPER DISPENSER:

SKU: SDN
S/STEEL SOAP DISH

SKU: SDNH
HORIZONTAL AISI304 LIQUID SOAP DISPENSER 1200ML

SKU: SDNV
VERTICAL AISI304 LIQUID SOAP DISPENSER 1000ML

SKU: SDN610D
AISI304 AUTOMATIC SOAP DISPENSER 650ML

SKU: JRDN/ JRSDN/ SSPHN
JUMBO ROLL DISPENSER PAPER HOLDER

AISI304 & ANTIBACTERIAL GRAB BAR: (Size could be customized)

SKU: SSGB
S/STEEL GRAB BAR 250MM TO 900MM

SKU: SSGBL7001200
S/STEEL GRAB BAR 700MMx1200MM

SKU: SSUGB800300
S/STEEL GRAB BAR 800MMx300MM

SKU: SSGBV700700
S/STEEL GRAB BAR 700MMx700MM

SKU: ABGB
ANTI-BACTERIAL NYLON GRAB BAR 250MM TO 900MM

SKU: ABGBL7001200
ANTI-BACTERIAL NYLON GRAB BAR 700MMx1200MM

SKU: ABUGB750200
ANTI-BACTERIAL NYLON GRAB BAR 750MMx200MM

SKU: ABGBV700700
ANTI-BACTERIAL NYLON GRAB BAR 700MMx700MM

HAND DRYER:

SKU: HDN210C
AUTOMATIC HAND DRYER

SKU: HDN1882
AUTOMATIC QUICK DRY HAND DRYER

PAN COLLAR:

SKU: 213PC100
SS213 PAN COLLAR 4''

SKU:213PC10025
SS213 PAN COLLAR 4''X1''

SKU: 213PC10050
SS213 PAN COLLAR 4''X2''

SKU: 213PC10080
SS213 PAN COLLAR 4''X3''

SKU: 213PC100UK
4" UPVC SOFT PAN COLLAR

SKU:213PC10025UK
4"X1" W.C OFFSET SOFT PAN COLLAR

WC ACCESSORIES:

SKU: 213PC100WC
4"X90 UPVC WC WIRE CONNECTOR

SKU: 213PC100B
4"X90X180MM W.C BEND CONNECTOR

SKU: DSWWHD/ DSWW
WC SEAT COVER HEAVY DUTY & LIGHT DUTY

SKU: DSWWAK
ADULT TOILET SEAT WITH CHILD POTTY TRAINING COVER

SKU: DSWWWL
MANUAL CONTROL SMART TOILET SEAT WITH DUAL WASHLET BIDET/HYGIENIC SPRAY

SKU: TOTH633
TOTH633 - WC
TOTH633-1 - URINAL

SKU: AAVN
2" AIR ADMITTANCE VALVE

SKU: GIWHWCB
GALVANISED IRON WALL HUNG WC BRACKET

SKU: DSBSS
WC SEAT COVER BRACKET

SKU: WCS8RD60
BRASS SCREW FOR WALL MOUNT WC

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

WC BALL FLOAT:

SKU: BFVNHJ1226
3/8", 1/2" PLASTIC FLOAT VALVE , C/W SIDE OR PEDESTAL INLET

SKU: BFVN15BI
½" BOTTOM INLET PLASTIC FLOAT VALVE

SKU: BFVNHJ1207
½" PLASTIC FLOAT VALVE ,SIDE INLET

SKU: BFVNHJ1210
½" PLASTIC MINI FLOAT VALVE ,SIDE INLET

SKU: BFVNHJ1209
½" PLASTIC COMPACT FLOAT VALVE C/W BALL,SIDE INLET

WC SYPHON:

SKU: SYPNHP09A
2" DUAL FLUSH SYPHON + PUSH BUTTON C/W 2 " BASE OUTLET

SKU: SYPNHP10A
2" TOP PRESS DUAL FLUSH WITH BASE OUTLET 50MM

BIDET SPRAY SET:

SKU: BSNW
PLASTIC BIDET SPRAY SET

SKU: BSNCP
BRASS CHROME BIDET SPRAY SET

SKU: BSNSS
STAINLESS STEEL BIDET SPRAY SET

SHOWER ROSE:

SKU: SRN50
BRASS CHROME OVERHEAD RAIN SHOWER ROSE 50MM

SKU: SRN100
4" SHOWER ROSE

SKU: SRN150/200/250
PLASTIC CHROME OVERHEAD RAIN SHOWER ROSE 150MM/ 200MM/ 250MM

SKU:SRN250-9214
SHOWER ROSE 250MM

SKU: SY860C
BRASS CHROME OVERHEAD STAR DESIGN SHOWER ROSE 200MM

SKU: SY315C
BRASS CHROME SHOWER ROSE

SKU: SY-707
LUXURY SPRINKLER LIFTER SHOWER SET

SKU: SY689C
PLASTIC CHROME HAND SHOWER

SKU: SY9573
HANDSHOWER PLASTIC CHROME PLATED

SKU: SYA82
BRASS CHROME SHOWER ARM ½"X400MM

SKU: SY303C
CHROME WALL MOUNTED SHOWER HEAD HOLDER

FLEXIBLE TUBE/ HOSE & ACCESSORIES:

SKU: FTN15
STAINLESS STEEL FLEXIBLE TUBE LENGTH: 150MM TO 2100MM

SKU: FTNM1015500
S/STEEL HOT/COLD FLEXIBLE TUBE M10 X ½" MIXER COPPER TUBE

SKU: BSN1200
S/STEEL FLEXIBLE HOSE C/W JET NOZZLE 1/2"X1200MM

SKU: SHN
S/STEEL / PVC FLEXIBLE HOSE Size availability: 1.2M,1.5M,1.8M

SKU: MFEL
MIXER FLANGE ELBOW WITH LOCK

SKU: MFE
MIXER FLANGE ELBOW

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

WASTE & PLUG :

SKU:WP35SS304
AISI304 WASTE PLUG & CHAIN 1¼"

SKU:WP42
BRASS WASTE PLUG & CHAIN 1¼"

SKU:WP312
BASKET SINK S/STEEL WASTE STRAINER LOCKABLE

SKU: WP312F
BIG BASKET WASTE OD: 119x H:116x G:11/2"

SKU: WP412F
BIG BASKET WASTE OD: 145x H:116x G:11/2"

SKU: WP612F
BIG BASKET WASTE OD:144x H:113x G:11/2"

SKU: WPLBPU
11/2" LONG BATH POP-UP WASTE & PLUG

OVERFLOW:

SKU: NMP6/NMP6A
BASIN PUSH DOWN WASTE C/W OVERFLOW & NUT

WASHIN MACHINE HOSE:

SKU: WMI2M
1/2"X2MM WASHING INLET HOSE

SKU: WMO2M
2M WASHING MACHINE OUTLET PIPE

BOTTLE TRAP:

SKU: 213BT
UPVC BOTTLE TRAP 35MM, 35x42MM, 42MM

SKU:BTCP
11/4'' CHROME PLATED BOTTLE TRAP

SKU:RBBT
RUBBER BUSH FOR 11/2'' SS213 ELBOW TO 11/4'' CP BOTTLE TRAP // 11/2'' SS213 ELBOW TO 11/2'' CP BOTTLE TRAP

ACCESSORIES:

SKU: CCE32CP
CHROME PALTED [CXC] ELBOW FOR S/STEEL FLUSH PIPE

SKU: CCU32CP
CHROME PALTED [CXC] SOCKET FOR S/STEEL FLUSH PIPE

SKU:SSFP
S/STEEL FLUSH PIPE 1000X400 & 700X300

SKU:RBWC
RUBBER BUSH FOR WC S/STEEL & PVC FLUSH PIPE

SKU:SSFP32
11/8''X12'' BRASS CP SHORT PIPE

SKU:SAB / BAB
GALVANISED IRON SINK ANGLE BRACKET & BASIN ANGLE BRACKET
Size availability:
430MMX150MMX90°
260MMX130MMX90°

SKU: WHBR
WATER HEATER BRACKET FOR "RHEEM"
Size availability:
6 TO 30 GALLON

SKU: PB
PORTMAN BRACKET FOR BASIN

SKU: SSW30MESH
AISI304 WIRE 30MESH, 1Mx30MØ0.21MM
MESH SIZE: 0.65MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

DZR BRASS:

SKU: CRRN
DZR BRASS REDUCING NIPPLE
Size: 15x6mm, 5x10mm,22x15mm

SKU: CREN
DZR BRASS NIPPLE [MxM]
Size availability: 1/2'' to 4''

SKU: CRES015/ CRES015L
DZR BRASS SOCKET
Size: ½" x33mm, ½"x45mm

SKU:CRRB
DZR BRASS BUSH
Size availability: 15X8mm to 65x50mm

SKU:CRENFIT0505015
2"(L)X2"(R)X1/2" BRASS DZR EQUAL NIPPLE FI TEE

SKU:CRSP
DZR BRASS SCREW PLUG
Size: ½" to 2"

SKU: PGN15
½"X80MM [MIxFI]
½''X60,100,200, 400MM [MIxMI]

SKU: PGN15080MFCP
½" BRASS PROLONGATED NIPPLE C/W [CHROME PLATED]

SKU: PGN-MF
PROLONGATED NIPPLE ½"X25,35,45,55,65,75,100 MM, ¾"X25MM [MIxFI]

SKU:CRRB02015ICP
DZR BRASS BUSH
Size: ¾"x ½"

AISI304 STRAINER (Size could be customized):

SKU: SSFTFN
AISI304 FLOOR TRAP STRAINER FOR FOOD COURT [INTERNAL FILTER]

SKU: SSSPFN-R
S/STEEL FLOOR TRAP STRAINER FOR FOOD COURT [INTERNAL FILTER] C/W ROUND COLLAR

SKU: SSFTFN80NC
S/STEEL FLOOR TRAP STRAINER FOR FOOD COURT [INTERNAL FILTER] W/O ROUND COLLAR

SKU: SSSPFN-R12
S/STEEL FLOOR TRAP STRAINER FOR FOOD COURT [INTERNAL FILTER] 12MM HOLE C/W ROUND COLLAR

SKU: SSFTFN-12
S/STEEL FLOOR TRAP STRAINER FOR FOOD COURT [OUTER FILTER] 12MM HOLE

SKU: SSFTFN80NC12
S/STEEL FLOOR TRAP STRAINER FOR FOOD COURT [INTERNAL FILTER] 12MM HOLE W/O ROUND COLLAR

"AMICO" TAP

SKU: AMCXG37
SINGLE HANDLE SINK MIXER

SKU: AMCXG31
SINGLE LEVER SINK MIXER

SKU: AMCMG37
SINGLE LEVER BASIN MIXER

SKU: AMCMG2
SINGLE LEVER BASIN MIXER

SKU: AMCXG15
E-ACTION WALL BIB TAP

SKU: AMCYG3716
SINGLE HANDLE IN WALL SHOWER MIXER

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

KEMBLA COPPER PIPE

COUNTRY OF ORIGINAL:AUSTRALIA
WORKING PRESSURE:MAX 10 BARS
STANDARD:BSEN1057

SIZE	X THICKNESS	Y THICKNESS	SIZE	X THICKNESS	Y THICKNESS
15MM	0.7MM	1.0MM	50MM	1.2MM	2.0MM
22MM	0.9MM	1.2MM	67MM	1.5MM	2.0MM
28MM	0.9MM	1.2MM	76MM	1.5MM	2.0MM
35MM	1.2MM	1.5MM	108MM	1.5MM	2.3MM
42MM	1.2MM	1.5MM	159MM	2.0MM	3.0MM

MEDICAL GAS TUBE TO BSEN13348
COUNTRY OF ORIGINAL:AUSTRALIA

SKU	OD (MM)	THICKNESS (MM)	WEIGHT /LENGTH (Kg/5.8m)	SKU	OD (MM)	THICKNESS (MM)	WEIGHT /LENGTH (Kg/5.8m)
PIPCMG015K	15.0	0.7	1.63	PIPCMG042K	42.0	1.5	7.98
PIPCMG020K	22.0	0.9	3.09	PIPCMG050K	54.0	1.2	10.33
PIPCMG025K	28.0	0.9	3.98	PIPCMG065K	66.7	1.2	12.81
PIPCMG035K	35.0	1.2	6.61	PIPCMG080K	76.0	1.5	18.24

norika CAPILLARY & BRASS FITTING

STANDARD:BSEN1254-1

SKU: MBLE45
45 DEGREE MBL ELBOW
Size availability:
1/2" to 6"

SKU:MBLE90
MBL 90 DEGREE ELBOW
Size availability:
1/2" to 6"

SKU:MBLRE90
MBL 90 DEGREE ELBOW
Size availability:
¾"x ½" to 1"x ¾"

SKU: MBLES
MBL EQUAL SOCKET
Size availability:
1/2" to 6"

SKU:MBLEC
MBL END CAP
Size availability:
1/2" to 6"

SKU:MBLET
MBL EQUAL TEE
Size availability:
½" to 6"

SKU: MBLFR
MBL FITTING REDUCER
Size availability:
¾"X1/2" TO 3"X21/2"

SKU: MBLRS
MBL REDUCER
Size availability:
1/2"X3/8" to 6"X4"

SKU: MBLFS
MBL FLANGE SOCKET
Size availability:
1/2" to 6"

SKU: MBLRT
MBL REDUCER TEE
Size availability:
3/4"X1/2"to 6"x4"

SKU: SR0
O% SILVER ROD

SKU: MBLMIE
MBL MI ELBOW
Size availability:
15x½", 22x ½", 28x½", 35x½"

SKU:MBLFIE
MBL FI ELBOW
Size availability:
½", ¾",1"

SKU: MBLMIA
MBL MI ADAPTOR
Size availability:
1/2" to 4"

SKU:MBLFIA
MBL FI ADAPTOR
Size availability:
1/2" to 2½"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

COPPER PRESSFIT / COMPRESSION FITTING (STANDARD:BSEN1254-2:1998)

PRESSFIT FITTINGS MATERIAL: COPPER

SKU: PFNE45-
45 DEG ELBOW
Size availability:
½" to 3"

SKU: PFNE45-MF
45DEG ELBOW MxF
Size availability:
½" to 3"

SKU: PFNE90-
90 DEG ELBOW
Size availability:
½" to 3"

SKU: PFNE90-MF
90 DEG ELBOW MxF
Size availability:
½" to 3"

SKU: PFNRE90-
90 DEG REDUCING ELBOW
Size availability:
¾"X½" ,1"X½"

SKU: PFNEC
END CAP
Size availability:
½" to 2½"

SKU: PFNES
EQUAL SOCKET
Size availability:
½" to 3"

SKU: PFNESL
EQUAL LONG SOCKET
Size availability:
½" to 2½"

SKU: PFNRS
REDUCING SOCKET
Size availability:
¾"X½" to 2½"X 2"

SKU: PFNRS-MF
REDUCER MxF
Size availability:
¾"X½" to 3"x2½"

SKU: PFNET
EQUAL TEE
Size availability:
½" to 3"

SKU: PFNRT
REDUCING TEE
Size availability:
¾"X½" to 3"X 2½"

SKU: PFNRT0201520
REDUCING TEE
Size availability:
¾"X ¾"X½"

SKU: PFNRT0201515
REDUCING TEE
Size availability:
¾"X½" X½"

SKU: PFNRT0151520
REDUCING TEE
Size availability:
½"X ¾"X½"

SKU: PFNCO15
CROSS OVER
Size availability:
½"

SKU: CPSSN
AISI304 COPPER PIPE SUPPORT SLEEVE FOR PRESS FIT CLIMPING
1" to 4"

PRESSFIT FITTINGS MATERIAL: DZR BRASS

SKU: PFNMIA
DZR BRASS PRESSFIT [MI] ADAPTOR
Size availability:
½" to 3"

SKU: PFNFIA
DZR BRASS PRESSFIT [FI] ADAPTOR
Size availability:
½" to 2½"

SKU: PFNFIE15/ PFNFIE15L
DZR BRASS PRESSFIT FI ELBOW
Size availability:
½"

SKU: PFNMIE015
DZR BRASS PRESSFIT FI ELBOW
Size availability:
1/2"

SKU: PFNFE015
DZR BRASS FI WALLPLATE ELBOW
Size availability:
½"

COMPRESSION FITTINGS MATERIAL: DZR BRASS

SKU: CRCCU/ CRCCU-CP
COUPLER [CxC]
Size availability:
½" to 2"

SKU: CRCFIU/ CRCFIU-CP
CxFI COUPLER
Size availability:
½" to 2"

SKU: CRCMIU/ CRCMIU-CP
CxMI COUPLER
Size availability:
½" to 2"

SKU: CRCFIE/ CRCFIE-CP
CxFI ELBOW
Size availability:
½" to 2"

SKU: CRCCE/ CRCCE-CP
ELBOW [CxC]
Size availability:
½" to 2"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

COMPRESSION FITTING / BRASS FITTING (STANDARD:BSEN1254-2:1998)

SKU: CRCMIT/ CRCMIT-CP
CXCXMI TEE
Size availability:
½'', 1", 1½"

SKU: CRCFIT/ CRCFIT-CP
CXCXFI TEE
Size availability:
½'' , 42x42x1/2"

SKU: CRCCT/ CRCCT-CP
REDUCING TEE [CxC]
Size availability:
½"X ½" X¾" to 2"X2"X1"

SKU: CRCMIU
CXMI COUPLER
Size availability:
15MMX ¾" to 22MMX½"

SKU: CRCFIU02015
CXFI COUPLER
Size availability:
22MMX1/2"

SKU: CRCCU/ CRCCU-CP
CXC REDUCING COUPLER
Size availability:
15X12MM to 28X22MM

SKU: CRCCE/ CRCCE-CP
CXC REDUCING ELBOW
Size availability:
15X10MM, 22X15MM,
28X15MM， 35X28MM

SKU: CRCMIE/ CRCMIE-CP
CxMI ELBOW
Size availability:
½'' to 2"

SKU: CRSE
STOP END
Size availability:
1/2" TO 2"

SKU: CRCMICT015/ CRCMICT015CP
CXMIXC TEE
Size availability:
1/2"

SKU: CRCFICT015/ CRCFICT015CP
CXFIXC TEE
Size availability:
1/2"

SKU: CRCCT/ CRCCT-CP
TEE [CxC]
Size availability:
½'' to 2"

SKU: CRSF025
DZR BRASS SWIVEL
FERRULE
Size availability:
1"

SKU:
CRFE015/CRFE015CP
CxFI WALLPLATE ELBOW
15MMX1/2"

SKU:
CRFT015/ CRFT015CP
CXFI WALLPLATE TEE
Size availability:
1/2"

SKU: CRCR
COMPRESSION RING
Size availability:
10MM to 108MM

SKU: PPRQFNES
COMPRESSION COUPLER
(PPR-COPPER QUCIK FIT
BRASS CR EQUAL SOCKET]
Size: 20x15MM, 20x22MM, 25x22MM

STRAINER

SKU: YSDIN
DUCTILE IRON FLANGE
END PN16 Y STRAINER
3" to 12"

SKU: YSCRN
BRASS CR Y PATTERN
STRAINER FEMALE BSP
THREAD PN16
1/2" to 21/2"

SKU: YSCRPFN
BRASS CR PRESS FIT
Y PATTERN STRAINER
PN16
1/2" to 21/2"

SKU:PGIN-GL
STAINLESS S/STEEL 304
GREASE INTERCEPTOR
Size availability(GALLON):
10 / 25 / 50

SKU:GIMSFS
"NORIKA®" GI MILD STEEL
FLOOR SUMP

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

S/STEEL 304 PIPE / S/STEEL PRESS FIT (STANDARD:BSEN1254-2:1998)

COUNTRY OF ORIGINAL: CHINA

WORKING PRESSURE:MAX 25 BARS

SKU	DN	THICKNESS	SKU	DN	THICKNESS
PIPSS015N	15MM	0.6MM	PIPSS050N	50MM	1.2MM
PIPSS020N	22MM	0.7MM	PIPSS065N	67MM	1.2MM
PIPSS025N	28MM	0.8MM	PIPSS080N	76MM	1.5MM
PIPSS035N	35MM	1.0MM	PIPSS100N	108MM	1.5MM
PIPSS042N	42MM	1.1MM			

SKU: SSPFNES
EQUAL SOCKET
Size availability:
½'' to 4"

SKU: SSPFNES-L
EQUAL LONG SOCKET
Size availability:
½'' to 4"

SKU: SSPFNRS-MF
REDUCER MXF
Size availability:
¾"X½'' to 4"X3"

SKU: SSPFNRS
REDUCER
Size availability:
¾"X½'' to 4"x3"

SKU: SSPFNEC
END CAP
Size availability:
½'' to 4"

SKU: SSPFNE90-MF
90DEG ELBOW MXF
Size availability:
½" to 4"

SKU: SSPFNE90-
90DEG ELBOW
Size availability:
½'' to 4"

SKU: SSPFNE45-MF
45DEG ELBOW MXF
Size availability:
½" to 4"

SKU: SSPFNE45-
45DEG ELBOW
Size availability:
½" to 4"

SKU: SSPFNRE90-
90DEG REDUCING ELBOW
Size availability:
¾"X½'' to 2½"X 1¼"

SKU: SSPFNFIE
90DEG FI ELBOW
Size availability:
½'' to 2½"

SKU: SSPFNMIE
90DEG MI ELBOW
Size availability:
¾"X½'' to 54X2"

SKU: SSPFNET
EQUAL TEE
Size availability:
½'' to 4"

SKU: SSPFNRT
REDUCING TEE
Size availability:
¾"X½'' to 4"X3''

SKU: SSPFNFIT
FI TEE
Size availability:
½" to 67x67x1/2"

SKU: SSPFNMIT
MI TEE
Size availability:
½" to 54x54x2"

SKU: SSPFNFIA
FI ADAPTOR
Size availability:
15X½'' to 54X2"

SKU: SSPFNMIA
MI ADAPTOR
Size availability:
15X½'' to 108X4"

SKU: SSPFNMIP
[MI] PIPE
Size availability:
½'' to 2"

SKU: SSPFNFE015
WALLPLATE FI ELBOW

SKU: SSPFNCT353525MI15FI
11/4"X11/4X1"MIX1/2"FI
PRESSFIT CROSS TEE

SKU: SSPFNMJC
MALE JOINT
CONNECTOR
Size availability:
15X½'' to 108X4"

SKU: SSPFNFJC
FEMALE JOINT
CONNECTOR
Size availability:
15X½'' to 54X2"

SKU: SSPFNFLS
PRESSFIT FLANGE
SOCKET
Size availability:
1¼'' to 4"

SKU: SSPFNFS
FLANGE SOCKET
Size availability:
1½" to 4"

SKU: SSPFNFT015
WALLPLATE FI TEE
15MM x15MM x ½"

NEW

SKU: SSPFNFLS
PRESSFIT FLANGE
REDUCE SOCKET
3"x2" to 6"x4"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

S/STEEL 316L PIPE / S/STEEL PRESS FIT (STANDARD:BSEN1254-2:1998)

COUNTRY OF ORIGINAL: CHINA

WORKING PRESSURE:MAX 25 BARS

SKU	DN	THICKNESS	SKU	DN	THICKNESS
PIPSS316L015N	15MM	0.6MM	PIPSS316L050N	50MM	1.2MM
PIPSS316L020N	22MM	0.7MM	PIPSS316L065N	67MM	1.2MM
PIPSS316L025N	28MM	0.8MM	PIPSS316L080N	76MM	1.5MM
PIPSS316L035N	35MM	1.0MM	PIPSS316L100N	108MM	1.5MM
PIPSS316L042N	42MM	1.1MM			

SKU: SS316LPFNES
EQUAL SOCKET
Size availability:
½" to 4"

SKU: SS316LPFNES-L
EQUAL LONG SOCKET
Size availability:
½" to 4"

SKU: SS316LPFNRS-MF
REDUCER MXF
Size availability:
¾"X½" to 4"X3"

SKU: SS316LPFNRS
REDUCER
Size availability:
¾"X½" to 4"x3"

SKU: SS316LPFNEC
END CAP
Size availability:
½" to 4"

SKU: SS316LPFNE90-MF
90DEG ELBOW MXF
Size availability:
½" to 4"

SKU: SS316LPFNE90-
90DEG ELBOW
Size availability:
½" to 4"

SKU: SS316LPFNE45-MF
45DEG ELBOW MXF
Size availability:
½" to 4"

SKU: SS316LPFNE45-
45DEG ELBOW
Size availability:
½" to 4"

SKU: SS316LPFNRE90-
90DEG REDUCING ELBOW
Size availability:
¾"X½" to 2½"X 1¼"

SKU: SS316LPFNFIE
90DEG FI ELBOW
Size availability:
½" to 2½"

SKU: SS316LPFNMIP
[MI] PIPE
Size availability:
½" to 2"

SKU: SS316LPFNET
EQUAL TEE
Size availability:
½" to 4"

SKU: SS316LPFNRT
REDUCING TEE
Size availability:
¾"X½" to 4"X3"

SKU: SS316LPFNFIT
FI TEE
Size availability:
½" to 67x67x1/2"

SKU: SS316LPFNMIT
MI TEE
Size availability:
½" to 54x54x2"

SKU: SS316LPFNFIA
FI ADAPTOR
Size availability:
15X½" to 54X2"

SKU: SS316LPFNMIA
MI ADAPTOR
Size availability:
15X½" to 108X4"

SKU: SS316LPFNMIE
90DEG MI ELBOW
Size availability:
¾"X½" to 54X2"

SKU: SS316LPFNFE015
WALLPLATE FI ELBOW

SKU: SS316LPFNCT353525MI15FI
11/4"X11/4X1"MIX1/2"FI
PRESSFIT CROSS TEE

SKU: SS316LPFNMJC
MALE JOINT
CONNECTOR
Size availability:
15X½" to 108X4"

SKU: SS316LPFNFJC
FEMALE JOINT
CONNECTOR
Size availability:
15X½" to 54X2"

SKU: SS316LPFNFLS
PRESSFIT FLANGE
SOCKET
Size availability:
1¼" to 4"

SKU: SS316LPFNFS
FLANGE SOCKET
Size availability:
1½" to 4"

SKU: SSPFNFT015
WALLPLATE FI TEE
15MM x15MM x ½"

SKU: SS316LPFNFLS
PRESSFIT FLANGE
REDUCE SOCKET
3"x2" to 6"x4"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

PEX-B/AL/PEX-B THREE LAYER PIPE & FITTINGS
(STANDARD: BS EN 21003, SS375)

STRAIGHT PIPE SKU: PIPPEXL
WORKING PRESSURE: MAX 10 BARS

SKU	OD	ID	Thickness	Length	SKU	OD	ID	Thickness	Length
PIPPEXL16	16MM	12MM	2.0MM	5.8M	**PIPPEXL40**	40MM	32MM	4.0MM	5.8M
PIPPEXL20	20MM	16MM	2.0MM	5.8M	**PIPPEXL50**	50MM	41MM	4.5MM	5.8M
PIPPEXL25	25MM	20MM	2.5MM	5.8M	**PIPPEXL63**	63MM	51MM	6.0MM	5.8M
PIPPEXL32	32MM	26MM	3.0MM	5.8M	**PIPPEXL75**	75MM	60MM	7.5MM	5.8M

ROLL TYPE SKU: PIPPEX
WORKING PRESSURE: MAX 10 BARS

SKU	OD	ID	Thickness	M/Roll	SKU	OD	ID	Thickness	M/Roll
PIPPEX16	16MM	12MM	2.0MM	200M	**PIPPEX25**	25MM	20MM	2.5MM	100M
PIPPEX20	20MM	16MM	2.0MM	200M	**PIPPEX32**	32MM	26MM	3.0MM	50M

F6 PUSH-FIT

SKU: PEXF6EC
END CAP
Size availability:
16 to 32mm

SKU: PEXF6E90-
EQUAL ELBOW
Size availability:
16 to 32mm

SKU: PEXF6RE90-
ELBOW REDUCER
Size availability:
20x16 to 32x25mm

SKU: PEXF6ES
EQUAL SOCKET
Size availability:
16 to 32mm

SKU: PEXF6RS
REDUCE SOCKET
Size availability:
20x16 to 32x25mm

SKU: PEXF6ET
EQUAL TEE
Size availability:
16 to 32mm

SKU: PEXF6RT
REDUCE TEE
Size availability:
16x16x20 to
32x32x25mm

SKU: PEXF6MIT
MI TEE
Size availability:
16x1/2" to 32x1"

SKU: PEXF6FIT
FI TEE
Size availability:
16x1/2" to 32x1"

SKU: PEXF6MIA
MI ADAPTOR
Size availability:
16x1/2" to 32x11/4"

SKU: PEXF6FIA
FI ADAPTOR
Size availability:
16x1/2" to 32x11/4"

SKU: PEXF6MIE
MI ELBOW
Size availability:
16x1/2" to 32x1"

SKU: PEXF6FIE
FI ELBOW
Size availability:
16x1/2" to 32x11/4"

SKU: PEXF6BV
BALL VALVE
Size availability:
16 to 25mm

SKU: PEXF6FE16
FI WALLPLATE
ELBOW
Size availability:
16x1/2" to 25x3/4"

SKU: PEXF6FE-S
ASSEMBLY DOUBLE
FLANGE ELBOW
Size availability:
16x1/2" to 20x1/2"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika F5 PRESS-FIT FITTINGS

SKU: PEXF5EC
END CAP
Size availability:
16 to 75mm

SKU: PEXF5E90-
EQUAL ELBOW
Size availability:
16 to 75mm

SKU: PEXF5RE90-
ELBOW REDUCER
Size availability:
20x16 to 63x50mm

SKU: PEXF5ES
EQUAL SOCKET
Size availability:
16 to 75mm

SKU: PEXF5RS
REDUCE SOCKET
Size availability:
20x16 to 75x63mm

SKU: PEXF5ET
EQUAL TEE
Size availability:
16 to 75mm

SKU: PEXF5RT
REDUCE TEE
Size availability:
16x16x20 to
75x75x63mm

SKU: PEXF5MIT
MI TEE
Size availability:
16x1/2" to 50x11/2"

SKU: PEXF5FIT
FI TEE
Size availability:
16x1/2" to 75x21/2"

SKU: PEXF5MIA
MI ADAPTOR
Size availability:
16x1/2" to 75x3"

SKU: PEXF5FIA
FI ADAPTOR
Size availability:
16x1/2" to 75x21/2"

SKU: PEXF5MIE
MI ELBOW
Size availability:
16x1/2" to 63x2"

SKU: PEXF5FIE
FI ELBOW
Size availability:
16x1/2" to 63x2"

SKU: PEXF5FJC
FI UNION
Size availability:
16 to 50x11/2"

SKU: PEXF5FE16
FI WALLPLATE
ELBOW
Size availability:
16x1/2" to 25x3/4"

SKU: PEXF5FE-S
ASSEMBLY DOUBLE
FLANGE ELBOW
Size availability:
16x1/2" to 20x1/2"

SKU: PEXF5BV
BALL VALVE
Size availability:
16 to 25mm

SKU: PEXF5E45-
EQUAL ELBOW
Size availability:
16 to 75mm

MACHINE AND TOOLS

CODE: PEXMR1675
16MM-75MM
"REMS®" PEX
PRESS TOOL

CODE: PEXTCT
MULTILAYER PIPE
CALIBRATION
TOOL/PLATIC REAMER
Size: 16-25MM & 20-32MM

CODE: PEXTBSE
MULTILAYER PIPE
EXTERNAL BENDING
SPRING
Size: 16-32MM

CODE: PEXTBSI
MULTILAYER PIPE
INTERNAL BENDING
SPRING
Size: 16-32MM

CODE:PEXTPT1632
16-32MM MULTILAYER
PIPE LENGTHENED
MANUAL PRESSING
TOOL

CODE: PEXTC
CLAMP JAW FOR
LENGTHENED MANUAL
PRESSING TOOL
Size: 16-32MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika CAST IRON HUBLESS PIPE & FITTINGS

SKU: PIPHUB
HUBLESS PIPE
Size availability:2''-12''

SKU:HUBB90
HUB BEND 90DEG
Size availability:2''-12''

SKU:HUBB9010050
HUB BEND 90DEG
Size availability:4''X2''

SKU:HUBB45
HUB BEND 45DEG
Size availability:2''-8''

SKU:HUBRS
HUB REDUCER
Size availability:
3''X2'' - 8"X6"

SKU: HUBEC
HUB END CAP
Size availability:2''-8''

SKU:HUBYT
HUB Y TEE
Size availability:
2''x2" ~ 10"x8''

SKU:HUBCT
HUB CROSS TEE
Size availability:
4''X2'',4''X4'',4"X3",6''X4''

SKU:HUBET
HUB EQUAL TEE
Size availability:2''-8''

SKU:HUBRT
HUB REDUCE TEE
Size availability:2''-8''

SKU:HUBSP
HUB SHORT PIPE
Size availability:2''-8''

SKU:HUBST10050
HUB S TRAP
Size availability:4''X2''

SKU:HUBPT10050
HUB P TRAP
Size availability:4''X2''

SKU:HUBPT100
HUB P TRAP
Size availability:4'',4"X3"

SKU:HUBST100
HUB S TRAP
Size availability:4''

SKU:HUBPT1008050
HUB P TRAP
Size availability:4''X3''X2''

SKU:CIPT150100
CAST IRON P TRAP
Size availability: 4", 6"X4"

SKU:CIST150100
CAST IRON S TRAP
Size availability:4", 6"X4"

SKU:HUBRTW516
TORQUE WRENCH
FOR HUBLESS CLIP

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

EPOXY COATED HUBLESS PIPE & FITTINGS

SKU: PIPHUB-EPC
EPOXY COATED
HUBLESS PIPE
Size availability:
2” to 12”

SKU: HUBSP-EPC
EPOXY COATED
HUBLESS SHORT PIPE
WITH ACCESS DOOR
Size availability:
3” to 6”

SKU: HUBCT-EPC
EPOXY COATED
HUBLESS CROSS TEE
Size availability:
4”x2”, 4”x4”, 6”x4”

SKU: HUBEC-EPC
EPOXY COATED
HUBLESS CAP
Size availability:
2” to 8”

SKU: HUBRS-EPC
EPOXY COATED
HUBLESS REDUCER
Size availability:
3”x2” to 12”x10”

SKU: HUBB15-EPC
EPOXY COATED
HUBLESS 15DEG BEND
Size availability:
2” to 8”

SKU: HUBB30-EPC
EPOXY COATED
HUBLESS 30DEG BEND
Size availability:
2” to 12”

SKU: HUBB45-EPC
EPOXY COATED
HUBLESS 45DEG BEND
Size availability:
2” to 12”

SKU: HUBB90-EPC
EPOXY COATED
HUBLESS 88DEG BEND
Size availability:
2” to 12”

SKU: HUBB9010050EPC
EPOXY COATED
HUBLESS 90 DEG BEND
Size availability:
4” x 2”

SKU: HUBYT-EPC
EPOXY COATED HUBLESS
BRANCH TEE 45DEG
Size availability:
2” to 12”

SKU: HUBET-EPC/
HUBRT-EPC
EPOXY COATED HUBLESS
BRANCH TEE 88DEG
Size availability:
2” to 10”

SKU: HUBPT100EPC
EPOXY COATED
HUBLESS P TRAP
Size availability:
4”x4”

SKU:HUBPT10050EPC
EPOXY COATED
HUBLESS P TRAP
Size availability:
4”x2”

SKU:HUBST100EPC
EPOXY COATED
HUBLESS S TRAP
Size availability:
4”

SKU:HUBST10050EPC
EPOXY COATED
HUBLESS S TRAP
Size availability:
4”x2”

FITTINGS MATERIAL: AISI304/ CARBON STEEL

SKU: HUBC
TYPE A CLIPS
Size availability:
2” to 12”

SKU: HUBC
TYPE A REDUCE CLIPS
Size availability:
2”x11/2” to 4”x3”

SKU: HUBC-B
TYPE B RAPID COUPLING
Size availability:
2” to 12”

SKU: HUBC-F
TYPE F HIGH RISE CLIPS
Size availability:
2” to 6”

SKU: HUBKV
KOMBI GRIP COLLAR
Size availability:
2” to 6”

SKU: HUBKV
KOMBI GRIP COLLAR
Size availability:
8” to 12”

SKU: HUBCV
CV GRIP COLLAR
Size availability:
4” to 6”

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

COUPLINGS & CLAMPS

MATERIAL: AISI304

SKU: SSHRC
AISI304 HALF
REPAIR CLAMP
Size availability:
13-15mm to 575-600mm

SKU: SSFRC
AISI304 FULL
REPAIR CLAMP
Size availability:
32-39mm to 410-420mm

SKU: SSC100
STAINLESS STEEL
HOSE CLIP
Size availability:
6-12mm to 155-311mm

MATERIAL: DUCTILE IRON

SKU: DIFC-EPC
HEAVY DUTY DUCTILE IRON
FLEXIBLE COUPLING C/W
EPOXY COATED
Size availability:
3" to 16"

SKU: DIFA-EPC
HEAVY DUTY DUCTILE IRON
FLANGE ADAPTOR C/W
EPOXY COATED
Size availability:
3" to 16"

MATERIAL: BRASS

NEW

SKU: CFRCN
BRASS REPAIR CLAMP
Size: 15mm TO 54mm

WATER METERS

SKU:WMN-D
SINGLE JET DRY DIAL
COLD WATER METER
[SCREW END]
[13D]

SKU: WMN015-PD
½" BRASS SINGLE JET
DRY DIAL COLD
WATER METER

SKU:WMN
WATER METER
[SCREW END]
½" to 2"

SKU:WMNF-WP
WATER METER
[FLANGE END]
21/2" to 8"

SKU:WMSN-V
SMART WATER METER WITH
MODBUS RTU OUTPUT
[SCREW END]
Size: 15mm to 35mm

SKU:WMSN-V
SMART WATER METER WITH
MODBUS RTU OUTPUT
[SCREW END]
Size: 42mm

SKU:WMSN-FV
SMART WATER METER WITH
MODBUS RTU OUTPUT
[FLANGE END]
Size: 50mm to 200mm

NEW

SKU:WMSN
SMART WATER METER WITH
MODBUS RTU OUTPUT
[SCREW END]
Size: 15mm to 50mm

NEW

SKU:WMSN-F
SMART WATER METER WITH
MODBUS RTU OUTPUT
[FLANGE END]
Size : 50mm to 200mm

SKU: WMNC
WATER METER
BRASS CONNECTOR
½"x295MM, ½'xX55MM,
¾"x50MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

PRESSURE GAUGE & AIR BAG TESTING TOOLS

SKU: PG
STANDARD DRY
PRESSURE GAUGE

SKU: PG-OF
OIL FILLED
PRESSURE GAUGE

SKU: PGM
MICROMANO
PRESSURE GAUGE
0~7PSI

SKU: PGB060150
1/4"X60MM DRY
PRESSURE GAUGE
[BACK CONNECTION]

SKU: PGABT006D90
STAINLESS STEEL
PRESSURE GAUGE
BUFFER TUBE

SKU: PGAS
STAINLESS STEEL
PRESSURE GAUGE
SNUBBER
Size: ¼", ½"

SKU:AB-R
INFLATABLE BLUE
RUBBER TESTING BAG
2" to 12"

SKU:AB-R1
INFLATABLE BLACK
RUBBER TESTING BAG
4" & 6"

SKU:AB100RL
INFLATABLE BLACK
RUBBER TESTING BAG
4" (LONG)

SKU:ABSEW150P
INFLATABLE RUBBER
TESTING BALLON
6"

SKU:ABSEW100-150
INFLATABLE RUBBER
TESTING BALLON
4" & 6"

SKU:AB100RPX2
INFLATABLE BLACK
RUBBER DRAIN
TESTING BAG
(AB100RP1+AB100R1)

SKU:AB-RP1
INFLATABLE BLACK
RUBBER DRAIN
TESTING BAG
4" & 6"

SKU:AB-RP
INFLATABLE BLUE
RUBBER TESTING BAG
2"X1/2" to 8"X1/2"

SKU:TP
CENTRE LOCKING
DRAIN TEST PLUGS
20mm & 25mm

SKU:TP
CENTRE LOCKING
DRAIN TEST PLUGS
42mm to 375mm

SKU:TP
CENTRE LOCKING &
MULTI-LOCKING
DRAIN TESTING PLUGS
400mm to 600mm

SKU:TP
CENTRE LOCKING &
MULTI-LOCKING
DRAIN TESTING PLUGS
700mm to 1200mm

SKU:TPN
HYDRAULIC PRESSURE
TESTING PUMP
1500PSI

SKU: TPNM
MOTORISED POWER
TEST PUMP

SKU: BRCT015MFCP
CROSS-TYPE WATER
DIVERTER C/W SWIVEL FEMALE

SKU: UG200
U GAUGE (-100~100mm

SKU: UG300
U GAUGE (-150~150mm)

SKU:ABAHP
HIGH PRESSURE MINI HAND-HELD
MULTI-FUNCTION AIR PUMP

SKU:ABAFP
MULTI-FUNCTION AIR
FILLERPUMP

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

GALVANIZED IRON FITTING

SKU: GIP
GI PLUG
½"TO 2"

SKU:GIE90
90DEG GI ELBOW
½" TO 4"

SKU:GIE45
45DEG GI ELBOW
½" TO 4"

SKU:GIES
GI SOCKET
½" TO 21/2"

SKU:GIET
GI EQUAL TEE
½" TO 4"

SKU: GIKCN
GI KC NIPPLE
½" TO 4"

SKU:GIRT
GI REDUCING TEE
1" × 1/2" TO 2" ×1"

SKU:GILF
GI LONG FITTING
½" TO 2"

SKU:GIU
GI UNION
½" TO 21/2"

SKU: GIEN
GI NIPPLE
½" TO 4"

SKU: GIRB
GI BUSH
1/2"X3/8" TO 2"x11/2"

SKU: GIEC
GI CAP
1/2" TO 2"

STAINLESS STEEL 304/316 FITTING

SKU: SS304SP
AISI304 PLUG
½"TO 4"

SKU: SS304E90
90 DEG ELBOW
½" TO 4"

SKU: SS304E45
45 DEG ELBOW
½" TO 2½"

SKU: SS304ES
AISI304 SOCKET
½" TO 4"

SKU: SS304ET
AISI304 EQUAL TEE
½" TO 4"

SKU: SS304RS
AISI304 REDUCING SOCKET
¾"X½" TO 2X1½"

SKU: SS304RT
AISI304 REDUCING TEE
¾" x ½" TO 2"x1½"

SKU: SS304U
AISI304 UNION
½" TO 3"

SKU: SS304UMF
AISI304 UNION M/F
1/2" TO 2½"

SKU:
SS304EN/SS316EN
AISI304/AISI316
NIPPLE
½" TO 4"

SKU: SS304RN
AISI304 R/NIPPLE
¾"X½" TO 2"x11/4"

SKU: SS304RB
AISI304 BUSH
1/2"X3/8" TO 4"x3"

SKU: SS304ES-MF
AISI304 EQUAL
SOCKET M/F
1/2" TO 2"

SKU: SS304SE-MF
AISI304 STRAIGHT
ELBOW [MXF]
1/2" TO 2"

SKU: SS304E9015MM
AISI304 EQUAL
(MALE) ELBOW
1/2"

SKU:SS304ENFIT0505015
2"(L)X2"(R)X1/2" EQUAL
NIPPLE FI TEE

SKU: SS304KCN
AISI304 PLATED
COMBINATION HOSE
NIPPLE
½" TO 4"

SKU: SS304CT
AISI304 HEXAGONAL
EQUAL CROSS TEE
½" TO 2"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika FASTENERS

MATERIAL: GALVANISED IRON

SKU: GIBC/ GIBC-B
GALVANIZED IRON
BEAM CLAMP
Size availability:
1/2" & 3/8"

SKU: CPCN1
"QUICK FIT" COPPER
PIPE CLAMP
Size availability:
3/8" to 11/2"

SKU: CPCN1
"QUICK FIT" COPPER
PIPE CLAMP
Size availability:
2" to 8"

SKU: PCTA-GI
PIPE CLAMP C/W
HOT DIPPED
GALVANIZED TYPE "A"
Size availability:
2" to 10"

SKU: PHD
BAND HANGER
Size availability:
1" to 10"

SKU: OLFCB
F CLIP

SKU: PCTAR
PIPE CLAMP C/W HOT
DIPPED GALVANIZED
TYPE "A" WITH RUBBER
Size availability:
2" to 8"

SKU: PCTC-GI
PIPE CLAMP C/W
HOT DIPPED
GALVANIZED TYPE "C"
Size availability:
2" to 8"

SKU: PCTD-GI
PIPE CLAMP C/W HOT
DIPPED GALVANIZED
TYPE "D"
Size availability:
2" to 8"

SKU: OLSC
GI OLISTRUCT
CLAMP
Size availability:
½" to 6"

SKU: LB17
GALVANISED
IRON LB BEND
Size availability:
¾"X10M

SKU: GIS
GALVANISED
IRON STUB ROD
¼" to 7/8",
M8 to M16

SKU:GIW
GI WASHER
¼" TO 7/8",
M6 to M16

SKU: GIUB
GI U-BOLT & NUT
½" to 7/8"

SKU: WN
WEDGE NUT
3/8" & M10

SKU: GIN
GI & S/STEELNUT
¼" to 7/8", M6 TO M16

SKU: GILN
GI LONG NUT
¼" TO 5/8",
M8 TO M16

SKU: DIA
GI DROP IN
ANCHOR: ¼" to
5/8", M6 to M12

SKU: RP
GI RAW PLUG
¼" to 5/8"

SKU:RP14H
GI SLEEVE RAW
PLUG
¼" to 5/8"

SKU: GISTS
GI SELF TAPPING
SCREW
Lengh: 1", 1¼", 1½", 2"

SKU: NBB
BASIN BRACKET

SKU: GIBN
GI BOLT & NUT
½" to 7/8"

MATERIAL: BRASS / COPPER:

SKU: BROC/ BROC-CP
BRASS O CLIP
Size availability:
1/2" to 11/4"

SKU: CSC
COPPER SADDLE CLIP
Size availability:
½" to 1"

SKU: BSTS1
M4x25MM BRASS
SELF TAPPING
SCREW

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

MATERIAL: AISI304 / AISI316

SKU: CPCN1-SS304
AISI304"QUICK FIT"
COPPER PIPE CLAMP
Size availability:
3/8" to 11/2"

SKU: CPCN1-SS304
AISI304 "QUICK FIT"
COPPER PIPE CLAMP
Size availability:
2" to 8"

SKU: PCTE-SS304
AISI304 TYPE
E PIPE U CLAMP
2" to 6"

SKU: CBSS-SS
AISI304 COLLAR
BRACKET
Size availability:
½'' to 2''

SKU: PCTC-SS304
AISI304 PIPE CLAMP
Size availability:
2" to 8"

SKU: PCTD-GI
AISI304 PIPE CLAMP
Size availability:
2" to 8"

SKU: SSW
AISI304 WASHER
¼" TO 7/8",
M6 to M16

SKU: SSUB
AISI304
U-BOLT & NUT
½" to 7/8"

SKU: SSS
AISI304 STUB ROD
¼'' to 7/8'', M8 to M16

SKU:
RCSN-SSCARM10SS316
RCSNA-SSCARM16SS316
AISI316 CARABINER

SKU:
RCSN-EBM1036
RCSNA-EBM1636
AISI316 ANCHOR SLEEVE



SKU:
RCSN-SSDIAM10125SS316
AISI316 DROP IN ANCHOR

SKU: SSDIA
S/STEEL 304 OR 316
DROP IN ACHOR
¼" to 5/8", M6 to M12

SKU: SSN
GI & S/STEELNUT
¼" to 7/8", M6 TO M16

SKU: NA533SS
STAINLESS STEEL
NYLON ANCHOR

SKU: SSRP
S/STEEL RAW
PLUG: ¼" to 5/8",
M6 to M12

SKU: SS316STS114
S/STEEL 316 SELF
TAPPING SCREW
SIZE: ST4

NEW

SKU: SSBNWM1040-316
S/STEEL AISI316
HEXAGONAL BOLT &
NUT WITH 2 AISI316
WASHER:
M10x40MM

MATERIAL: Q235

SKU: UCH
UPVC COATED
HOLDERBAT
2" to 6"

MATERIAL: PLASTIC

SKU: 141UC
PVC U CLIP (WHITE)
FOR SS141 PIPE
Size availability:
½'' to 2''

SKU: AEUC
PVC U CLIP (GREY)
FOR AW/AE PIPE
Size availability:
½'' to 2''

SKU: 141SC
SHACKLE CLIP FOR
SS141 PIPE, COPPER
PIPE
& S/STEEL PIPE
Size: 3/8" to 1''

SKU: CBSS/ CBPPR
NYLON COLLAR
BRACKET
Size: ½" to 2, ¾"" to 2"

SKU: 141OC
O CLIP
Size availability:
15 ~ 25mm

SKU: RP/ GP
PE RAW PLUG
Red: M6x25MM
Green: M7x25MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

UNISTRUT & ACCESSORIES:

SKU: OL
UNISTRUT CHANNEL
OL & C/W SLOTTED
41MMX41MM ,
41MMX21MM

SKU: OLSBA100
UNISTRUT ANGLE
BRACKET
100MMX90MM
X2 HOLE

SKU: OLSBA050
UNISTRUT ANGLE
BRACKET
50MMX50MM
X1 HOLE

SKU: OLSNM10
UNISTRUT LONG
SPRING CHANNEL NUT
3/8" & M10

SKU: OLEC
UNISTRUT PVC
END CAP
21MM & 41MM

SKU: OLHB21
UNISTRUT
HOLDING
COVER

SKU: OLES4141
UNISTRUT END SMALL
SUPPORT BRACKET
150X70MM

SKU: OLESB4141
UNISTRUT END BIG
SUPPORT BRACKET
150X150MM

SKU: OLSB1026
80x40MM UNISTRUT
END SUPPORT
BRACKET

SKU: OLW4040
40x40MM UNISTRUT
END SUPPORT
BRACKET

SKU: OLUB
U BOLT STRUCT
BEAM CLAMP

FLAT BAR / ANGLE BAR:

SKU:AFB25
ALUMINIUM FLAT BAR
1"X1/8"THK X 20FT

SKU:GIFB
GI FLAT BAR
1"X3MM to 2" X 3.2MM

SKU:GIAB
GI ANGLE BAR
1"X2.5MM to 2"X4.2MM

SKU:GICC
GI C CHANNEL BAR
2"X1"X4.0MM to 4"X2"X4.7

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika GREASE TRAPS & COVERS

GREASE TRAPS:

1. MATERIAL: ALUMINIUM

SKU: RCGTC1050AF
GREASE TRAP FRAME & COVER 1050

SKU: RCGTC1800AF
CHEQUER PLATED GREASE TRAP FRAME & COVER 1800

SKU: RCGTCSC
CHEQUER PLATE SCREEN CHAMBER FRAME & COVER 1000x800 MM

2. MATERIAL: GALVANISED IRON MILD STEEL

SKU: RCGTC1050MSAF, RCGTC1050MSHD20AF
GREASE TRAP FRAME & COVER 1050

SKU: RCGTC1050MSAF, RCGTC1050MSHD20AF
GREASE TRAP FRAME & COVER 1050 [RECESSED]

SKU: RCGTC1800MSAF, RCGTC1800MSHD40AF
CHEQUER PLATED GREASE TRAP FRAME & COVER 1800

SKU: RCGTC1800MSAF, RCGTC1800MSHD40AF
GREASE TRAP FRAME & COVER 1800 [RECESSED]

SKU: RCGTCSCMS, RCGTCSCMSHD40
CHEQUER PLATE SCREEN CHAMBER FRAME & COVER

SKU: RCGTCSCMS, RCGTCSCMSHD40
CHEQUER PLATE SCREEN CHAMBER FRAME & COVER [RECESSED]

3. MATERIAL: AISI304

SKU:RCGTCSCSS
AISI304 CHEQUER PLATE SCREEN CHAMBER FRAME & COVER

SKU: RCGTC1050SSAF
AISI304 GREASE TRAP FRAME & COVER 1050 RECESS MOSAIC TILING

MANHOLE COVERS:

1. MATERIAL: AISI304 OR AISI316L * Size could be customized.

SKU: SSRICC
AISI304 / AISI316L LIGHT/HEAVY DUTY IC COVER [RECESSED] 700x550x60MM

SKU: SSMDRMC
S/STEEL 304/316L MEDIUM DUTY MANHOLE COVER [RECESSED] 750x750x90MM

SKU:SSHDRMC
S/STEEL 304 OR AISI316L HEAVY DUTY MANHOLE COVER [RECESSED] 800x800x140MM

SKU: SSHDTC-A1
AISI304 OR AISI316 [HEAVY DUTY] TELECOM COVER [RECESSED] CLEAR OPENING:910MMX610MM

AIRTIGHT & WATERTIGHT:

SKU: SSRICCAT
AISI304 OR AISI316L LIGHT/HEAVY DUTY IC COVER [RECESSED & AIR/ WATER TIGHT] 700x550x60MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

2. MATERIAL: DUCTILE IRON

SKU: DIICCS
DUCTILE IRON LIGHT DUTY INSPECTION COVER & FRAME 700x550x40MM

SKU: DIRICC
DUCTILE IRON LIGHT DUTY RECESSED INSPECTION COVER & FRAME 700x550x60MM

SKU:DIMDMC
DUCTILE IRON MEDIUM DUTY MANHOLE COVER B125 OR A2 750x750x75MM

SKU:DIHDMC
DUCTILE IRON HEAVY DUTY MANHOLE COVER A1 OR A2 GRADE 800x800x140MM

SKU: DIMDMCA2
DUCTILE IRON MEDIUM DUTY MANHOLE COVER 750x750x90MM

SKU:DIMDRMC
DUCTILE IRON MEDIUM DUTY MANHOLE COVER [RECESSED] B125 OR A2 750x750x90MM

SKU:DIHDRMC
DUCTILE IRON HEAVY DUTY MANHOLE COVER [RECESSED] A1 OR A2 GRADE: 800x800x140MM

SKU: DIMC
DUCTILE IRON MANHOLE COVER [CIRCULAR] A1 850x850x100MM

AIR TIGHT & WATER TIGHT:

SKU: DIMCATD400-R600
DUCTILE IRON HEAVY DUTY AIR TIGHT MANHOLE COVER C/O 600MM

SKU: DIMCATD400
DUCTILE IRON HEAVY DUTY AIR TIGHT MANHOLE COVER C/O OPENING SIZE: 600, 800,1000,1200MM, 910x610MM

SKU: DIMCATRD400-
DUCTILE IRON HEAVY DUTY AIR TIGHT RECESSED MANHOLE C/O 600MM, 800MM, 1000MM

DUCTILE IRON VALVE BOX:

SKU: DIDVB-D400
HEAVY DUTY DUCTILE IRON [DOUBLE] VALVE BOX

SKU: DISVB-R
DUCTILE IRON SINGLE VALVE BOX PUB/GAS/FH [ROUND]

SKU: DISVB-A1
DUCTILE IRON SINGLE VALVE BOX PUB/GAS/FH 465MMX300MM

SKU: DISCC200
DUCTILE IRON STOPCOCK COVER 8"X8"

SKU: DISVBPUB210-A1
SINGLE VALVE BOX SQUARE TOP 210MMx210MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

COVER ACCESSORIES:

SKU: CIGT9417/159
9"X4"X17", 15"X9"
DUCTILE IRON HEAVY
DUTY GULLY TRAP

SKU:CIGTS0711/CIGTS0711S / CIGTS25050
"NORIKA®" 7"X11"
& 12"X24" ALUMINIUM
& S/STEEL STRAINER

SKU:RCGTC1050ASB
AISI304 BUCKET FOR
1050MM GREASE TRAP

SKU:RCGTC1800ASB
AISI304 BUCKET
FOR 1800MM GREASE TRAP
475MMX405MMX300MM

SKU: RCSH
ALUMINIUM SAFTY
HANDRAIL

SKU: RCSN
MANHOLE SAFETY
NETTING

SKU: RCSNA
MANHOLE SAFETY
ROPE

SKU: MHK
GALVANIZED
MANHOLE KEY

SKU: MHKSS
AISI304
MANHOLE KEY
(PVC COATED)

SKU: MHKS
KEY HOLE'S COVER
FOR MANHOLE

SKU:GLICG650
650MM H.D. GAL. MILD
STEEL LAST IC
MANHOLE GRATING

SKU:RCGTC1050ASG
GREASE TPAP ACCESSORIES
MILD STEEL C/W HOT DIPPED
GAL SCREEN GRATING ONLY
500MMX695MM

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika SPA POOL

SKU: VJEB15
INSIDER HYDRO
FOR SPA POOL
15MM

SKU:VJEB
INSIDER HYDRO
FOR SPA POOL [BLACK
& WHITE COLOUR]
20MM &25MM

SKU: VJEBC
[TESTING CAP]
FOR INSIDER HYDRO
SPA POOL

SKU:VJSC50
50MM SPA POOL
SUCTION PVC
DOME COVER

SKU:VJFI
SWIMMING POOL
FLOOR INLET [BLACK
& WHITE COLOUR]
50MM

SKU:VJFICS316
SWIMMING POOL
FLOOR INLET S/STEEL
AISI316 COVER
50MM

SKU:VJLC85
"NORIKA®" S/STEEL
304 LAMP COVER
Ø85MM

SKU:VJSSAV
S/STEEL AIR VENT
FOR SPA POOL

SKU: BJN15
AISI304/316 JET NOZZLE
FAN SHAPED

SKU:BJN
BRASS JET NOZZLE

SKU:BJN-SS
S/STEEL 304 /316
JET NOZZLE

SKU:VJEBO
AISI304 AIR BLOWER
COVER OPENER
FOR SPA POOL

SKU: LBBSS
S/STEEL SS304
LIFE BUOY BRACKET

SKU: VJSG200ABS
ABS SPA POOL
SUCTION GRATING
LIGHT DUTY

S/STEEL SPA POOL
SUCTION GRATING
HEAVY DUTY

SKU: VJ
VENTURI JET AIR TUBE
FOR VENTURI JET

SKU: VJMJ
15MM SPA POOL
MINI JET

SKU: VJC
SPA POOL CLEANER

SKU: SSCLN
AISI304 CAT LADDER
900MM to 3900MM

SKU: VJDR
SUPPORT RUBBER BASE
FOR SWIMMING POOL
OVERFLOW DRAIN COVER

AISI304 STRAINER BASKET (Size could be customized)

SKU: SSSPFN-R
AISI304 STRAINER
BASKET FOR
SWIMMING POOL
C/W U HANDLE

SKU: SSSPFN-RM
AISI304 STRAINER
BASKET FOR SWIMMING
POOL C/W STRAIGHT
HANDLE

SKU: SSSPFN-S5
AISI304 STRAINER
BASKET FOR SWIMMING
POOL SQUARE COLLAR
C/W STRAIGHT HANDLE

SKU:SSSPFN-S12
AISI304 STRAINER BASKET
FOR SWIMMING POOL
12MM HOLE/ SQUARE
COLLAR C/W STRAIGHT
HANDLE

SKU: SSSPFN-R12
AISI304 STRAINER
BASKET FOR SWIMMING
POOL 12MM HOLE C/W
STRAIGHT HANDLE

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

RUBBER &FLANGES

RUBBER GASKET:

SKU:RFGN
FULL FACE FLANGE RUBBER GASKET (NORIKA)
2” to 12”

SKU:RFG
FULL FACE FLANGE RUBBER GASKET (LC)
2” to 12”

SKU:RFGN-PUB
FLAT RUBBER GASKET WITH 2 HOLES FOR POTABLE WATER
2” to 12”

SKU:RFGN-PUB-F
FULL FACED FLANGE RUBBER GASKET (NORIKA) FOR POTABLE WATER
2” to 12”

SKU: RTW
RUBBER WASHER 3/8”, ½’’ & ¾”,10MM // BASIN TAP WASHER FOR PILLAR MOUNTING

SKU: RB
RUBBER BLOCK FOR PUMP
3//X21/2’’X1’’
5’’X5’’X3/4’’
9”x9”x3/8”

EXPANSION JOINT: Galvanized Iron

SKU:FEJN
SINGLE-SPHERE FLANGED RUBBER EXPANSION JOINT
1½” to 14”

SKU: FEJNT
DOUBLE SPHERE FLANGED RUBBER EXPANSION JOINT
1½” to 12”

SKU:UEJ
TWIN SPHERE UNION RUBBER EXPANSION JOINT
½” to 3”

Cast Steel (Epoxy Coated)

SKU: UEJN
"QUICK HUBBED" & EPOXY COATED FEMALE THREADED UNION EXPANSION JOINT
1/2” to 21/2”

EXPANSION JOINT: AISI304

SKU: UEJ-S
AISI304 TWIN SPHERE UNION RUBBER EXPANSION JOINT
½” to 3”

SKU: UEJN-S
AISI304 "QUICK HUBBED" & THREADED UNION EXPANSION JOINT
1/2” to 2”

SKU: FTN-300
STAINLESS STEEL FLEXIBLE CONNECTOR
1”x300mm to 2”x300mm

MATERIAL: UPVC

SKU: AWBF
AW BLANK FLANGE
Size availability:
1½” to 8”

SKU: AWSOF
AW SLIP ON FLANGE
Size availability:
2” to 12”

MATERIAL: AISI304

SKU:SSFPN16
AISI304 FLANGE PN16 WITH THREADED
42X15MM to 200X200MM

SKU: SSFPN16BF
AISI304 BLANK FLANGE PN16
1/2” to 12”

SKU: SSFPN16-SO
AISI304 FLANGE PN16
2”,3”,4”,6”

MATERIAL: BRASS/ BRONZE

SKU:BFPN16
BRASS FLANGE PN16 WITH THREADED
½” to 6”

SKU:BFPN16MBL
BRONZE FLANGE PN16 FLAT JOINT
½” to 6’’

MATERIAL: DUCTILE IRON

SKU: DIFHV
HEAVY DUTY DUCTILE IRON HV THREAD SCREW ON FLANGE
Size availability:
3” to 6”

SKU: DIFMBL
HEAVY DUTY DUCTILE IRON FLANGE FOR MBL FLANGE SOCKET
Size availability:
2” to 2½”

SKU: DIFSO-THK15
HEAVY DUTY DUCTILE IRON SLIP ON FLANGE
Size availability:
3” to 6”

SKU: DIFBF
HEAVY DUTY DUCTILE IRON BLIND FLANGE
Size availability:
2” to 12”

SKU: DIFBSPT
HEAVY DUTY DUCTILE IRON COMPANION FLANGE
Size availability:
1½”x42mm to 6”x150mm

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

norika® TOOLS

SKU:CR2330
"NORIKA"
7/8''X5FT
CLEANING ROD

SKU: CRAW
[CLEANING ROD
ACCESSORIES]
WHEEL

SKU: CRAJ
[CLEANING ROD
ACCESSORIES]

SKU:CRAP100
[CLEANING ROD
ACCESORIES]
RUBBER PLUNGER

SKU: CRADS
[CLEANING ROD
ACCESORIES]
4' DROP SCRAPER

SKU: CRADWS
[CLEANING ROD
ACCESORIES]
2'' DOUBLE
WORM SCREW

SKU: CRAN15
[CLEANING ROD
ACCESORIES]
7/8''X2'' S/STEEL
WATER JET

SKU:SR1530
"NORIKA"
½''X30FT
SPRING ROD

SKU: FSL
"NORIKA"
NYLON SAFETY
BELT

SKU: CPE
COPPER EXPANDER
1/2''X3/4'',1/2''X3/4''X1'',
1'',11/4'',11/2'',2''

SKU: ST10
SEALING TAPE
¾''X10M

SKU: MT5025Y
MASKING TAPE
2''X25M

SKU: DWDN100
4'' DIAMOND
CUTTING DISC

SKU: CD
FIBER CUTTING DISC
4'',7'',12",14",16"

SKU: MT50
MEASURING TAPE
5.0M x 25mm

SKU: S2215 / S2815
SPANNER

SKU:SD
SCREW DRIVER +/-
4''&6''

SKU:AS
ADJUSTABLE
SPANNER

SKU: MAPTOR
WELDING TORCH

SKU: MAPPGAS
MAPP GAS

SKU: CPBSB
PORTABLE COPPER PIPE
BENDER SUPPORT BASE

SKU: CPB1520
½''X3/4" COPPER
PIPE BENDER

SKU: CPBB
COPPER PIPE BENDER
BRIDGE/FORM
½'',3/4'',1"

SKU:FHRB
FIRE HOSE CABINET

SKU: VK
VALVE KEY

SKU: VK0300-1500
INTERMEDIATE PIECE
UNDERGROUND VALVE KEY

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

SKU: HGC
[KNITTED COTTON]
HAND GLOVE

SKU: WX102
PRECHARGE PRESSURE
TANK IN LINE PN10 24L
CAPACITY

SKU: PVCS
PVC SHEET

SKU: PFM
PRESS FIT MACHINE
MACHINE MODEL:
15-28MM J07120, 15-54MM
J07130, 15-108MM X97513

SKU: PCN
RED COLOUR COPPER
TUBE CUTTER
OD: 6-35MM, 6-42MM,
6-67MM

SKU: PCN-PVC
RED COLOUR HEAVY
DUTY PVC PIPE CUTTER
OD: 3MM-42MM, 3MM-63MM

SKU: PCN3
MULTILAYER PIPE
CUTTER
32MM

SKU: PCN20-63PVC
21/2" HEAVY DUTY UPVC
PIPE CUTTER

NEW

SKU: MHCL
MANHOLE COVER LID
LIFTER

NEW

SKU: MHCLD
MANHOLE COVER
MAGNETIC LID LIFTER
DOLLY

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

ERA® FITTING (STANDARD:AS/NZS 1477) TESTED SS 174:2014

COUNTRY OF ORGINAL:CHINA

SKU: 1477ES
SCH40 EQUAL SOCKET
Size: ½'' TO 4''

SKU: 1477E90
SCH40 90DEG ELBOW
Size: ½'' TO 4''

SKU: 1477E45
SCH40 45DEG ELBOW
Size: ½'' TO 4''

SKU: 1477ET
SCH40 EQUAL TEE
Size: ½'' TO 4''

SKU: 1477EC
SCH40 END CAP
Size: ½'' TO 4''

SKU: 1477FE
SCH40 FAUCET ELBOW
Size: ½'' TO 2''

SKU: 1477VS
SCH40 VALVE SOCKET
Size: ½'' TO 4''

SKU: 1477VE15
SCH40 VALVE ELBOW
Size: ½''

SKU: 1477SP
SCH40 SCREW PLUG
Size: ½'' TO 2''

SKU: 1477FT
SCH40 FAUCET TEE
Size: ½'' TO 1''

SKU: 1477FS
SCH40 FAUCET SOCKET
Size: ¾"x½" TO 2"x1½",
3"x1½",3"x2"
4"x2",4"x3"

SKU: 1477RS
SCH40 REDUCE SOCKET
Size: ¾" TO 2"x1½",3"x2",
4"x3", 4"x2"

SKU: 1477RT
SCH40 REDUCE TEE
Size: ¾"x½" TO 2"x1 ½",
3"x1",3"x1½",3"x2",
4"x2",4"x3"

SKU: 1477RB
SCH40 REDUCE BUSH
Size: ¾''x ½" TO 2''x1 ½"
3"x1½",3"x2",4"x2",4"x3"

SKU: 1477TEN
PVC NIPPLE MXM
Size: ½'' TO 4''

SKU: 1477TET
PVC FEMALE
EQUAL TEE FxFxF
Size: ½'' TO 4''

SKU: 1477TRS
PVC FEMALE
REDUCING COUPLING
Size: ¾"X½" TO 1½"X1"

SKU: 1477TRT
PVC FEMALE
REDUCEING TEE
Size: ¾"X½" TO 2"X1½"

SKU: 1477TE90
PVC FEMALE ELBOW
Size: ½'' TO 4''

SKU: 1477TES
PVC FEMALE
COUPLING FxF
Size : ½" TO 4''

SKU: 1477TRB
PVC REDUCER MxF
Size: ¾"x½" TO 4"x3''

SKU: 1477TU
PVC FEMALE UNION
Size: ½'' TO 2''

SKU: 1477TCF
PVC FLANGE ADAPTER
FxF
Size: ½'' TO 2''

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

ERA® VALVES

SKU: BVAWEU
PVC TRUE UNION BALL VALVE
Size availability:
½'' TO 4''

SKU: SCVAWE
PVC SWING CHECK VALVE
Size availability:
2½'' TO 6''

SKU: CVAWE
PVC SPRING CHECK VALVE
Size availability:
½'' TO 2''

SKU: BCVAWE
PVC BALL CHECK VALVE
Size availability:
½'' TO 2''

SKU: FVAWE / FVAWE-T
PVC FOOT VALVE [SOCKET / THREAD]
Size availability:
½'' TO 8''

SKU: BTFVAWE
PVC BUTTERFLY VALVE
Size availability:
2'' TO 12''

SKU: WCVAWE
PVC WAFER CHECK VALVE
Size availability:
3'' TO 12''

SKU: BVAWE / BVAWE_T
PVC COMPACT BALL VALVE [SOCKET / THREAD]
Size availability:
½'' TO 6''

SKU: CVAWEII
UPVC [SPRING] CHECK VALVE TYPE II C/W SOCKET END
Size availability:
½'' TO 2''

SKU: AWUE-MI
UPVC MALE UNION C/W JIS "SOCKET END & MALE THREAD" COLOUR GREY
Size availability:
1½'' TO 2''

SKU: AWUE
UPVC UNION C/W JIS "SOCKET END "
Size availability:
½'' TO 4''

SKU: BVAWEU-MI
UPVC TRUE UNION BALL VALVE JISK SOCKET END X MALE BSP
Size availability:
½'' TO 4''

SKU: AWSJE
AW JIS K6743 SIMPLE JOINT TPS NETT
Size availability:
½'' TO 4''

SKU: BVSCH80EU-C
CPVC TRUE UNION BALL VALVE
Size availability:
½'' TO 4"

213 UPVC FITTING

SKU: 213VC
"ERA" VENT COWL
Size: 2"~4"

SKU: 213RB
"ERA" UPVC REDUCE BUSH
Size:

SKU: 213POC
"ERA" UPVC PUSH ON CAP
Size: 1½" TO 4"

SKU: 213VS
"ERA" AUD025 MALE IRON CONNECTOR
Size: 1½", 2"

SKU: 213VS-P
"ERA" AUD024 "FITTING" MALE IRON CONNECTOR
Size: 1½", 2"

SKU: 213B90040N
42mm "NORIKA" UPVC 88DEG BEND

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

ERA® PP-R PIPE & FITTINGS

PP-R PIPE
COUNTRY OF ORIGINAL:CHINA
STANDARD:PN10(COLD,)PN20(HOT)
Size availability (MM):
20,25,32,40,50,63,75,90,110

PP-R WELDING MACHINE
Size availability(MM):
20 -32,20-63,75-110

SKU: PPRES
PPR EQUAL SOCKET
Size availability(mm):
20-110

SKU: PPRE90
PPR 90DEG ELBOW
Size availability(mm):
20-110

SKU: PPRE45
PPR 45DEG ELBOW
Size availability(mm):
20-110

SKU: PPRET
PPR EQUAL TEE
Size availability(mm):
20-110

SKU: PPREC
PPR END CAP
Size availability(mm):
20-110

SKU: PPRRS
PPR REDUCING
SOCKET
Size availability(mm):
25X20 ~ 110X90

SKU: PPRMIS
PPR MI SOCKET
Size availability(mm):
20X15 TO 63X50
75X63, 90X90, 110X110

SKU: PPRMIE
PPR MI ELBOW
Size availability(mm):
20X15 TO 32X25
40X32, 50X42, 63X50

SKU: PPRMIT
PPR MI TEE
Size availability(mm):
20X15 TO 32X25

SKU: PPRFIS
PPR FI SOCKET
Size availability(mm):
20X15 TO 63X50
75X63, 90X75,
110X110

SKU: PPRFIE
PPR FI ELBOW
Size availability(mm):
20X15 TO 32X25

SKU: PPRU
PPR UNION
Size availability(mm):
20 - 63

SKU: PPRFIT
PPR FI TEE
Size availability(mm):
20X15 TO 32X25
40X32

SKU: PPRCJ
PPR COMBINING JOINT
Size availability(mm):
20-32

SKU: PPRSV_CP
PPR STOP VALVE
WITH CHROME HANDLE
Size availability(mm):
20-32

SKU: PPRSV
PPR STOP VALVE
Size availability(mm):
20-63

SKU: PPRBV
PPR TRUE UNION
BALL VALVE
Size availability(mm):
20-63

SKU: PPRSCB
PPR CROSS BEND
Size availability(mm):
20-32

SKU: PPRUC
PPR U-PIPE TRACKET
(LOWER TYPE)
Size availability(mm):
20-50

SKU: PPRUC_H
PPR U-PIPE TRACKET
Size availability(mm):
20-63

SKU: PPRRS711
PPR REPAIR STICK
Size availability(mm):
7X11

SKU: PPRRST711
PPR REPAIR STICK TOOL
Size availability(mm):
7X11

SKU: PPRFE02015S
PPR DOUBLE
FEMALE THREAD
ELBOW IN SET PPR
Size: Ø20MMx1/2”

SKU: PPRFT02015S
PPR DOUBLE
FEMALE THREAD
TEE
Size: Ø20MMx1/2”

SKU: PPRFE02015
PPR FI ELBOW
WITH BRACKET
Size availability(mm):
20MMx1/2”

SKU: PPRFLS
PPR FLANGE SOCKET
Size availability(mm):
40-110

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

ERA® SCH80 PIPE & FITTINGS

5.8M "ERA" UPVC SCH80 ASTM D1785 PIPE,
& UPVC SCH80 ASTM D2467 FITTINGS
COUNTRY OF ORIGINAL:CHINA
Size availability (MM):
15, 20, 25, 35, 42, 50, 65, 80, 100, 125, 150

SKU: SCH80ES
SCH80 EQUAL SOCKET
Size availability(mm):
15-150

SKU: SCH80E90
SCH80 90DEG ELBOW
Size availability(mm):
15-150

SKU: SCH80E45
SCH80 45DEG ELBOW
Size availability(mm):
15-150

SKU: SCH80ET
SCH80 EQUAL TEE
Size availability(mm):
15-150

SKU: SCH80EC
SCH80 END CAP
Size availability(mm):
15-150

SKU: SCH80FE
SCH80 FI ELBOW
Size availability(mm):
15-50

SKU: SCH80FT
SCH80 FI TEE
Size availability(mm):
15-25

SKU: SCH80RS
SCH80 REDUCING
COUPLING
Size availability(mm):
20X15 TO 50X42

SKU: SCH80RB
SCH80 REDUCING
RING
Size availability(mm):
20X15 TO 150X100

SKU: SCH80FS
SCH80 FI ADAPTOR
Size availability(mm):
15-150

SKU: SCH80VS
SCH80 MI ADAPTOR
Size availability(mm):
15-100

SKU: SCH80RT
SCH80 REDUCING TEE
Size availability(mm):
20X15 TO 50X42

SKU: SCH80EN
SCH80 NIPPLE
Size availability(mm):
15-100

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

AW(VP) PVC PIPE
RWDP(AEO) PVC PIPE

STANDARD:JIS K6741:2007
COUNTRY OF ORIGINAL:MALAYSIA
Size availability:15MM TO 450MM

SEKISUI

AW FITTING MADE IN JAPAN

AW FITTING STANDARD: JIS K6743:2007

SKU: AWES
AW EQUAL SOCKET
Size availability:
13MM TO 300MM

SKU: AWE90
AW 90DEG ELBOW
Size availability:
13MM TO 300MM

SKU: AWE45
AW 45DEG ELBOW
Size availability:
13MM TO 300MM

SKU: AWET / AWRT
AW EQUAL TEE/
REDUCE TEE
Size availability:
13MM TO 300MM

SKU: AWEC
AW END CAP
Size availability:
13MM TO 150MM

SKU: AWRS
AW REDUCE SOCKET
Size availability(MM):
15X13 TO 300X200

SKU: AWVS
AW VALVE SOCKET
Size availability:
13MM TO 150MM

SKU: AWFS
AW FAUCET
SOCKET
Size availability:
13MM TO 80MM

SKU: AWFT
AW FAUCET TEE
Size availability:
13MM TO 25MM

SKU: AWFE
AW FAUCET ELBOW
Size availability:
13MM TO 25MM

SKU: AWFLS
AW FLANGE SOCKET
10K
Size availability(MM):
15 TO 300

SKU: AWRB
AW REDUCING BUSH

SKU: AWTC-S
AW TANK CONNECTOR
SOCKET END FOR PIPE
Size availability:
½" TO 2"

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

AE(VU) PVC PIPE
RWDP(AEO) PVC PIPE

STANDARD:JIS K6741:2007
COUNTRY OF ORIGINAL:MALAYSIA
Size availability:15MM TO 450MM

SEKISUI

AE FITTING MADE IN JAPAN

AE FITTING STANDARD: JIS K6739:2007

SKU: AEES
AE EQUAL SOCKET
Size availability:
42MM TO 400MM

SKU: AEE90
AE 90DEG ELBOW
Size availability:
30MM TO 400MM

SKU: AEE45
AE 45DEG ELBOW
Size availability:
30MM TO 400MM

SKU: AEET / AERT
AE EQUAL TEE/
REDUCE TEE
Size availability:
42MM TO 400MM

SKU: AERS
AE REDUCE SOCKET
Size availability(MM):
15X13 TO 300X200

SKU: AEYT
AE Y TEE
Size availability:
42MM TO 200MM

SKU: AEC
AE CAP
Size availability:
42MM TO 300MM

SKU: AESC
AE SCREW CAP
Size availability:
25MM TO 250MM

SKU: AERB
AE REDUCING BUSH

SKU: SCS500
ESLON ADHESIVE
NO.70P 500G/TIN

SKU: PIPCPJ
CLEAR TRANSPARENCY
PVC PIPE (4M LONG)
Size: 13 ~ 200mm

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

RIDGID TOOLS & MACHINES

SKU: PFMR15025N
RP 218 PRESS TOOL

SKU: PFMR15050N
RP 318
PRESS TOOL
Pressing Capacity:
DN15-DN50

SKU: PFMR15100
RP 380
PRESS TOOL
Capacity: 1/2" to 4" for copper and stainless steel, 1/2" to 2" for PEX

SKU: RID59138
POWERCLEAR™
MACHINE
For 3/4" to 11/2"
Drain Lines

SKU: RID55423
16 GALLON WET/DRY
VAC WITH
DETACHABLE BLOWER

SKU: RID50557
1450 PRESSURE
TEST PUMP

SKU: RID46683
K-1 COMBINATION
AUGER

SKU: RID57003
EZ CHANGE FAUCET
TOOL

SKU: RID42478
STRAPLOCK PIPE
HANDLE
Fits all sizes of plastic pipe between 3" and 8" diameter

SKU: RID29983/ RID29993
INNER-OUTER REAMER
Capacity:
6-40MM & 12-50MM

SKU: RID32573
2-IN-1 CLOSE
QUARTERS
AUTOFEED CUTTER
Size: 6 – 28 MM

SKU: RID31642
QUICK-ACTING
TUBING CUTTERS
(for copper tube)

SKU: RID30088
RATCHET CUTTERS
WITH ERGONOMIC
GRIPS

SKU: RID31803
STAINLESS STEEL
TUBING CUTTERS
Capacity:
6 - 67 MM

SKU: RID41608 /RID40868
PTEC PLASTIC DRAIN
PIPE CUTTERS

SKU: RID23488
SINGLE STROKE
CUTTERS
Capacity:
3 - 42 MM

SKU: RID57008 / RID57013
C-STYLE CLOSE
QUARTERS COPPER
TUBING CUTTERS
Size: ½”- ¾” & 1”

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

MATING FLANGE DIMENSIONS

	PN 6		PN 10		PN 16		JIS 5K		JIS 10K	
DN	PCD of holes	Number of holes	PCD of holes	Number of holes	PCD of holes	Number of holes	PCD of holes	Number of holes	PCD of holes	Number of holes
25	75	4 x 11.5	= PN 16		85	4 x 14	75	4 x 11.5	90	4 x 18
32	90	4 x 14			100	4 x 18	90	4 x 14	100	4 x 18
40	100	4 x 14			110	4 x 18	95	4 x 14	105	4 x 18
50	110	4 x 14			125	4 x 18	105	4 x 14	120	4 x 18
65	130	4 x 14			145	4 x 18	130	4 x 14	140	4 x 18
80	150	4 x 18			160	8 x 18	145	4 x 18	150	8 x 18
100	170	4 x 18			180	8 x 18	165	8 x 18	175	8 x 18
125	200	8 x 18			210	8 x 18	200	8 x 18	210	8 x 23
150	225	8 x 18			240	8 x 23	230	8 x 18	240	8 x 23
175	-	-	270	8 x 23	270	8 x 23	-	-	-	-
200	280	8 x 18	295	8 x 23	295	12 x 23	280	8 x 23	290	12 x 23
250	335	12 x 18	350	12 x 23	355	12 x 27	345	12 x 23	355	12 x 25
300	395	12 x 23	400	12 x 23	410	12 x 27	390	12 x 23	400	16 x 25
350	445	12 x 23	460	16 x 23	470	16 x 27	435	12 x 25	445	16 x 25
400	495	16 x 23	515	16 x 27	525	16 x 30	495	18 x 25	510	16 x 27
450	-	-	-	-	-	-	555	16 x 25	565	20 x 27
500	600	20 x 23	620	20 x 27	650	20 x 33	605	20 x 25	620	20 x 27
550	-	-	-	-	-	-	665	20 x 27	680	20 x 33
600	705	20 x 27	725	20 x 30	770	20 x 36	715	20 x 27	730	20 x 33
700	810	24 x 27	840	24 x 30	840	24 x 36	820	24 x 27	840	24 x 33
800	920	24 x 30	950	24 x 33	950	24 x 39	930	24 x 33	950	28 x 33
900	1020	24 x 30	1050	28 x 33	1050	28 x 39	1030	24 x 33	1050	28 x 33
1000	1120	28 x 30	1160	28 x 36	1170	28 x 42	1130	28 x 33	1160	28 x 39
(1100)	-	-	-	-	-	-	1240	28 x 33	1270	28 x 39
1200	1340	32 x 33	1380	32 x 49	1390	32 x 49	1350	32 x 33	1380	32 x 39

norika

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

PIPE'S DIMENSIONS SUMMARY

	JIS 6741:1984 VP/AW		JIS 6741:1984 VP/AE		AEO		SS213:1983 BS5255 BS4514 AS1260 SS272:1983 BS4660 BS5481 AS1260		SCH40			AS/NZS1477		SS141:1976		SCH80 ASTM D1785		
Size	OD	ID	OD	ID	OD	ID	OD	ID	CLASS	OD	ID	CLASS	OD	CLASS	OD	CLASS	OD	ID
mm	mm	mm	mm	mm	mm	mm	mm	mm		mm	mm		mm		mm		mm	mm
13	17.8	13.4	17.8	14.2	17.8	14.2												
15	22.0	16.6	22.0	18.4	22.0	18.4			E/White	21.2	17.8	E/White	21.7	E/White	21.3	D/Grey	21.3	13.9
20	25.8	20.4	25.8	22.2	25.8	22.2			E/White	26.6	22.8	E/White	27.2	E/White	26.7	D/Grey	26.7	18.8
25	31.8	25.6	31.8	28.2	31.8	28.2			E/White	33.4	29.0	E/White	34.0	E/White	33.4	D/Grey	33.4	24.3
35	37.8	31.6	37.8	34.2	37.8	34.2	36.2	32.0	E/White	42.1	36.7	E/White	42.7	E/White	42.2	D/Grey	42.2	32.5
42	47.8	40.6	47.8	44.2	47.8	44.8	42.8	38.2	D/White	48.1	43.1	D/White	48.7	D/White	48.3	D/Grey	48.3	38.1
50	60.0	51.8	60.0	56.4	60.0	57.0	55.7	50.9	D/White	60.0	53.8	D/White	60.8	D/White	60.3	D/Grey	60.3	49.3
65	75.0	66.8	75.0	70.6	75.0	71.0	68.7	63.3	D/White	73.0	67.2	D/White	75.8	D/White	75.0	D/Grey	73.0	59.0
75	88.7	77.7	88.7	83.3	88.7	84.7	82.3	76.3	D/White	88.9	79.5	D/White	89.4	D/White	88.9	D/Grey	88.9	73.7
100	114.0	100.8	114.0	107.8	114.0	109.6	110.0	103.6	D/White	114.0	102.0	D/White	115.0	D/White	114.3	D/Grey	114.3	97.2
125	139.2	125.2	139.2	131.0	139.2	134.8			D/White	141.0	125.4	D/White	141.3	D/White	140.0	D/Grey	141.3	122.3
150	164.5	146.7	164.5	154.3	164.5	159.5	160.0	152.0	D/White	168.0	150.4	D/White	161.0	D/White	168.3	D/Grey	168.3	146.3
200	215.3	194.7	215.3	202.3	215.3	207.3	200.0	192.0	B/Grey	219.8	202.8	B/Grey		B/Grey	218.8	D/Grey	219.1	193.7
250	266.1	240.7	266.1	250.5	266.1	258.1	250.0	237.8	B/Grey	273.6	259.4	B/Grey		B/Grey	272.6	D/Grey	273.1	242.9
300	317.0	286.8	317.0	298.6	317.0	306.0	315.0	299.6	B/Grey	323.4	307.8	B/Grey		B/Grey	323.4	D/Grey	323.9	289.0
350	370.0	334.0	370.0	352.0														
400	420.0	379.0	420.0	400.0														

OD: Outside Diameter ID: Inside Diameter

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

PIPE'S DIMENSIONS SUMMARY

	BSEN1057 TABLE X		BSEN1057 TABEL Y		BS1387 GI A		BS1387 GI B		BS1387 GI C	
Size	OD	ID	OD	ID	OD	ID	OD	ID	OD	ID
mm	mm	Mm	mm	mm	mm	mm	mm	mm	mm	mm
13					17.10	13.50	17.40	12.72		
15	15.05	13.65	15.05	13.45	21.40	17.40	21.70	16.42	21.70	15.20
20	22.06	20.26	22.06	20.06	26.90	22.20	27.20	21.92	27.20	20.70
25	28.06	26.28	28.06	25.65	33.70	28.40	34.20	27.70	34.20	26.08
35	35.07	32.67	35.07	32.07	42.40	37.10	42.80	36.30	42.80	34.68
42	42.07	39.67	42.07	39.07	48.30	42.50	48.70	42.20	48.70	40.58
50	54.07	51.67	54.07	51.07	60.20	54.40	60.80	53.48	60.80	51.86
65	66.75	64.35	66.75	62.75	76.00	69.50	76.60	69.28	76.60	67.66
75	76.30	73.30	76.30	72.30	88.70	82.20	89.50	81.38	89.50	79.74
100	108.25	105.25	108.25	104.25	113.80	106.50	114.90	105.96	114.90	104.14
125							140.60	130.84	140.60	129.84
150	159.50	155.50					165.10	155.34	166.10	155.34
200							216.30	204.70		
250							267.40	254.20		
300							318.50	304.70		
350							355.60	339.80		
400							406.40	390.60		

	PPR PN10 (Cold)		PPR PN20 (Hot)		Ductile Iron Pipe BSEN545 K=9		Hubless Pipe ASTM C564:1995	
Size	OD	ID	OD	ID	OD	ID	OD	ID
mm	mm	Mm	mm	mm	mm	mm	mm	mm
20	20.0	15.4	20.0	13.2				
25	25.0	19.4	25.0	16.6				
35	32.0	24.8	32.0	21.2				
40	40.0	31.0	40.0	26.6				
50	50.0	38.8	50.0	33.4			69.59	50.80
63	63.0	48.8	63.0	42.0				
75	75.0	61.4	75.0	61.4	98.0	74.0	85.09	76.21
90	90.0	73.6	90.0	73.6	118.0	93.9	111.25	101.60
110	110.0	90.0	110.0	90.0				
150					170.0	143.7	160.02	150.88
200					222.0	193.6	212.85	201.68
250					274.0	243.2		
300					326.0	292.8		
350					378.0	342.3		
400					429.0	391.9		

OD: Outside Diameter ID: Inside Diameter

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

CONVERSION TABLE

M METRIC STRAIGHT THREAD

Thread size	Pitch	Thread Diameter On Base Plane			Thread Angle
		Major Dia	Pitch Dia	Minor Dia	
M6	1	6	5.350	4.917	60
M8	1.25	8	7.188	6.647	
M10	1.5	10	9.026	8.376	
M12	1.75	12	10.863	10.106	
M14	2	14	12.701	11.835	
M16	2	16	14.701	13.835	
M18	2.5	18	16.376	15.294	
M20	2.5	20	18.376	17.294	
M22	2.5	22	20.376	19.294	
M24	3	24	22.051	20.752	
M27	3	27	25.051	23.752	
M30	3.5	30	27.727	26.211	
M33	3.5	33	30.727	29.211	
M36	4	36	33.402	31.670	
M39	4	39	36.402	34.670	
M42	4.5	42	39.077	37.129	
M45	4.5	45	42.077	40.129	
M48	5	48	44.752	42.587	
M52	5	52	48.752	46.587	
M56	5.5	55	52.428	50.046	
M60	5.5	60	56.428	54.046	
M64	6	64	60.103	57.505	
M68	6	68	64.103	61.505	
M70	6	70	66.103	63.505	
M72	6	72	68.103	65.505	
M76	6	76	72.103	69.505	
M80	6	80	76.103	73.505	
M85	6	85	81.103	78.505	
M90	6	90	86.103	83.505	
M95	6	95	91.103	88.505	
M100	6	100	96.103	93.505	
M115	6	115	111.103	108.505	
M150	8	150	144.804	141.340	
M160	8	160	154.804	151.340	

BSP/ R/ R1/ Rc/ ZG/ RT/ PT/ BSPT

Thread size (inch)	Teeth/ inch	Thread Diameter On Base Plane			Thread Angle
		Major Dia	Pitch Dia	Minor Dia	
1/16	28	7.723	7.142	6.561	55
1/8	28	9.728	9.147	8.566	
1/4	19	13.157	12.301	11.445	
3/8	19	16.662	15.806	14.950	
1/2	14	20.995	19.793	18.631	
5/8	14	22.911	21.749	20.587	
3/4	14	26.441	25.279	24.117	
7/8	14	30.201	[illegible]	27.877	
1	11	33.249	31.770	30.291	
1-1/8	11	37.897	36.418	34.939	
1-1/4	11	41.910	40.431	38.952	
1-1/2	11	47.803	[illegible]	44.845	
1-3/4	11	[illegible]	[illegible]	50.788	
2	11	59.614	[illegible]	56.656	
2-1/2	11	75.184	73.705	72.226	
3	11	87.884	86.405	84.926	
3-1/2	11	113.03	111.550	110.072	
4	11	113.83	112.351	110.872	

BSW

Thread size (inch)	Teeth/ inch	Thread Diameter On Base Plane			Thread Angle
		Major Dia	Pitch Dia	Minor Dia	
1/16	60	1.587	1.315	1.050	55
1/8	40	3.175	2.768	2.362	
1/4	20	6.350	5.537	4.724	
3/8	16	9.525	8.509	7.492	
1/2	12	12.700	11.345	9.990	
5/8	11	15.875	14.397	12.918	
3/4	10	19.051	[illegible]	15.798	
7/8	9	22.226	20.419	18.611	
1	8	25.400	23.368	21.335	
1-1/8	7	28.576	[illegible]	23.929	
1-1/4	7	31.751	[illegible]	27.104	
1-1/2	[illegible]	[illegible]	[illegible]	32.680	
1-3/4	[illegible]	44.452	[illegible]	37.946	
2	4 1/2	50.802	47.187	43.573	
2-1/2	4	63.502	59.436	55.370	
3	3 1/2	76.203	71.556	66.909	
3-1/2	3	101.604	96.182	90.76	
4	2 1/2	152.406	145.900	139.394	

LINEAR MEASURE

Km	m	cm	mm	inch	Ft
1	10^3	10^5	10^6	39370	3280.83
0.001	1	100	1000	39.37	3.28083
10^{-5}	0.01	1	10	0.39370	0.032808
10^{-6}	0.001	0.1	1	0.03937	0.003281
2.54×10^{-5}	0.0254	2.540	25.40	1	0.08333
0.384×10^{-4}	0.3048	30.480	304.801	12	1

INCH AND MILLIMETER COMPARISON TABLE

INCH	1/8"	1/4"	3/8"	1/2"	3/4"	1"
MM	3.175	6.350	9.525	12.700	19.050	25.400
DN	6	8	10	15	20	25
	1分	2分	3分	4分	6分	8分

PRESSURE CONVERSION

Kpa	Pa	PSI	Bar	Kgf/ cm^2
1	10^3	0.14503774	0.01	0.010197162
0.001	1	0.000145	0.00001	0.0000102
6.894757	6894.757	1	0.0689476	0.070307
100	10^5	14.5037744	1	1.0197162
98.0665	98066.5	14.2233439	0.980665	1

TEMPERATURE CONVERSION

Centigrade (℃)	Fahrenheit Degree (℉)
1	33.8
-17.222222	1
C= (F-32)÷1.8	F= C×1.8+32

norika
norika

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

TABLES OF EQUIVALENTS

PRESSURE

lbs per sq. in.	Feet of Water	Inches of Mercury	Atmospheres	Millibars	Metres of Water	Kn per cm^2	Millimetres of Mercury	Kn per m^2
Psi	ft H_2O	In Hg	atm	mbar	mH_2O	KN/cm^2	mmHg	KN/m^2
1	2.309	2.036	0.068	70.37	0.703	0.07	51.71	6.895
0.434	1	0.883	0.029	30.48	0.305	0.03	22.42	2.935
0.491	1.133	1	0.033	34.52	0.345	0.034	25.4	3.386
14.70	33.9	29.92	1	1033	10.33	1.033	700	101.4
0.014	0.033	0.029	0.001	1	0.01	0.001	0.735	0.098
1.422	3.281	2.895	0.097	100	1	0.100	73.55	9.808
14.22	32.81	28.96	0.968	1000	10	1	735.5	98.50
0.019	0.045	0.039	0.001	1.36	0.013	0.001	1	0.133
0.145	0.335	2.953	0.010	10.21	0.102	0.010	7.500	1

RATE OF FLOW

G.p.m.	G.p.h.	Cu. Ft. p.h.	Tons p.h.	Litres p.m.	Litres p.h.	US galls p.m.	US galls p.h.	M^3 p.h.
UK Gal/min	UK Gal/hr	Cu ft/hr	Ton/hr	L/min	L/hr	US Gal/min	US Gal/hr	M^3 /hr
1	60	9.63	0.268	4.54	272.7	1.2	72	0.273
0.016	1	0.16	0.004	0.076	4.54	0.02	1.2	0.005
0.104	6.23	1	0.027	0.472	28.32	0.125	7.48	0.028
3.73	224	36	1	16.99	1019.2	4.41	264.6	1.019
0.22	13.19	2.118	0.06	1	60	0.26	15.6	0.060
0.004	0.22	0.035	0.001	0.016	1	0.004	0.28	0.001
0.833	49.98	8.02	0.22	3.79	227.4	1	60	0.227
0.014	0.833	0.13	0.036	0.063	3.79	0.016	1	0.004
3667	220.3	35.312	0.981	16.667	1000	4.398	263.9	1

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

Pressfitting Profiles “M” and “V”

In plumbing applications, one of the most asked questions is whether to choose between “M” or “V” press fitting profiles.

The first press was developed in 1950’s, and was patented in 1962 and was developed by Mannesman GmbH thus calling it the “M” profile. Many years later, in 1989, the “V” profile was developed and released in the market by Viega LLC.

The most visible between the two profiles will come down to that the “V” profile is the “collar” situated after the O-ring seat, while on the other hand the “M” profile does not have any “collar”. Please refer to the diagram below.



Both profiles use the same pressing equipment, although there is quite a difference in their jaws. Further investigation suggest that V press fittings have “stalk” located immediately after the pressing chamber, making the pipe insertion process better if compared to the M profile. But at the same time, the presence of stalk makes it quite difficult to check the proper positioning of the o-ring.

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

In terms of general performance of the fittings, we can refer to the recommendation of the manufacturers of both the fittings and tooling. Gathering all of the available information and referring to manufacturer recommendations, the below chart was developed.

Maximum Working Pressure for potable water at ambient temperature (kpa)			
Size	"M" Profile		"V" Profile
	Standard	HP	
15mm	4000	N/A	1600
22mm	4000	N/A	1600
28mm	2500	4000	1600
35mm	2500	4000	1600
42mm	2500	4000	1600
54mm	2500	4000	1600
76.1mm	1600	2500	N/A
88.9mm	1600	2500	N/A
108mm	1600	2500	N/A
168.3mm	1600/2000*	N/A	N/A

*Note: "Standard & HP" refer to jaw types; "V" Profile maximum working pressures taken from technical catalogues of Viega & Connex Banninger; *168.3mm pressures differ depending on single pressing or double off-set pressing.*

Based on the informations given, if you are looking for the maximum safety in any installations, "M" Profile fittings pressed using the appropriately rated tool (minimum 32 kN) and the relevant HP Jaws should be used.

In general circumstances, the choice is made on the basis of preference of the installer. Both profiles must comply with the same regulations and have the same certifications. There is no difference in functionality. Fluids pass through the fittings and pipes in the same manner. On the technical level, it can be described that the most visible difference between them is the presence of collar for the V Profile, whereas M Profile press fittings does not have any "collar".

Copyright. All Rights Reserve. Norika ®
Norika is constantly seeking product improvements, Therefore, its products are subject to change if deemed necessary.

SITE PLAN / 2ND STOREY PLAN

SCALE 1:250

Self Collection
@ #01-79
#01-38/48

10 Admiralty Street
Northlink Building
#02-45
Singapore 757695
Tel:62960224

For product orders through Whatsapp

(65) 9642 2351
(65) 9137 1409

Project-Singapore Building and construction

(65) 9725 3074

NOTES

0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180
180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0
0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180
0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180
0 INCH 1 2 3 4 5 6
0 cm 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15